

HTE# 08-500-19618

Harnett County Department of Public Health

24678

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Cumberland Homes PROPERTY LOCATION: 1125
SUBDIVISION: Woodshire LOT # 161

NEW REPAIR EXPANSION

Site Improvements required prior to Construction Authorization Issuance:

Type of Structure: SFO-57x42 3BR

Proposed Wastewater System Type: 2 1/2 Reduction System

Projected Daily Flow: 360 GPD

Number of bedrooms: 3 Number of Occupants: 6 max

Basement Yes No

Pump Required: Yes No May be required based on final location and elevations of facilities

Type of Water Supply: Community Public Well Distance from well 50 feet

Permit valid for: Five years

Permit conditions: meet on site maintain all set backs STD out plumbing No expiration

Shallow, At ground level or higher where shown and pump may not be required

Authorized State Agent: J. L. [Signature]

Date: 03-31-08

SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Cumberland Homes PROPERTY LOCATION: 1125

SUBDIVISION: Woodshire LOT # 161

Facility Type: SFO-57x42-3BR New Expansion Repair

Basement? Yes No Basement Fixtures? Yes No

Type of Wastewater System** 25% Red. system (Initial) Wastewater Flow: 360 GPD

(See note below, if applicable)
25% Reduction System (Repair)

Installation Requirements/Conditions

Septic Tank Size 1000 gallons

Exact length of each trench 1x150 feet

Trench Spacing: 9 Feet on Center

Pump Tank Size 1000 gallons

Trenches shall be installed on contour at a

Soil Cover: 6 inches

Maximum Trench Depth of: 18.24 inches

(Maximum soil cover shall not exceed

(Trench bottoms shall be level to $\pm 1/4"$

36" above the trench bottom)

in all directions)

Pump Requirements: _____ ft. TDH vs. _____ GPM

Aggregate Depth: _____ inches below pipe

Conditions: _____ inches above pipe
_____ inches total

**If applicable: *I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.*

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

Authorized State Agent: J. L. [Signature]

Date: 03-31-08

SEE ATTACHED SITE SKETCH

Construction Authorization Expiration Date: 03-31-2013


HTE# 0850019618

Permit # 24678

Harnett County Department of Public Health Site Sketch

ISSUED TO: Cumberland Homes PROPERTY LOCATOR: 1125
SUBDIVISION: Woodshire LOT # 161

Authorized State Agent: Joe LAR Date: 03-31-08



Teakwood

Meet onsite MAINTAIN All set Backs install 1x150 of 25%
 Reduction system at 18 to 24" Deep. ~~Reynolds Area~~
 STUB Out Plumbing shallow, at ground level or higher where
 shown and Run may not be required.