HTE# 08-5-19840

Harnett County Department of Public Health

24726

Improvement Permit

A DUIIDING PERMIT CANNOT DE ISSUED WITH ONLY AN IMPROVEMENT PERMIT
ISSUED TO: HUGH SURLES BUILDERS SUBDIVISION TO ADAMS INC LOT # 3
NEW REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD (56×58)
Proposed Wastewater System Tune: 25% REGUESTALL SYSTEM
Proposed Wastewater System Type: 25% REDUCTION SYSTEM Projected Daily Flow: 360 GPD
Number of bedrooms: 3 Number of Occupants: 6 max
Basement Tyes No
Pump Required: ☐Yes ➢ No ☐ May be required based on final location and elevations of facilities
Permit conditions: No expiration
Authorized State Agent: 4 29 08 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.
<u>Construction</u> Authorization
(Required for Building Permit)
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
with the attached system layout.
ISSUED TO: HUGE SURLES BUILDERS PROPERTY LOCATION: LASATER RO
Facility Type: SFO(56'×58') SUBDIVISION 5 ADAMS INC LOT # 3 New Expansion Repair
Basement? Yes No Basement Fixtures? Yes No
Type of Wastewater System** 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 360 GPD
(See note below, if applicable (1)
DRIP (NO PRETOEAK MENT) (Repair)
Installation Requirements/Conditions Number of trenches \
Septic Tank Size 1000 gallons Exact length of each trench 400 feet Trench Spacing: 9 Feet on Center
Pump Tank Size gallons
Maximum Trench Depth of: 12 inches (Maximum soil cover shall not exceed
(Trench bottoms shall be level to $\pm \frac{1}{4}$ " 36" above the trench bottom)
in all directions)
Pump Requirements: ft. TDH vs GPM inches below pipe
Aggregate Depth: inches above pipe
Conditions: MINIMUM OF 6" OF COVER NEEDED OVER DRAINFIELD inches total
CALL AT LEAST ONE DAY POLIOR TO JUSTALLATION TO FINALIZE STREET LONGUT
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
The application. I accept the specifications of this period.
Owner/Legal Representative Signature: Date:
Uwner/Legal Representative Signature: Date: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
this construction Authorization is studied to revocation in the site pain, piat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH
Authorized State Agent: Date: 427 08
Construction Authorization Expiration Date: 43413

HTF#	08-5-198	06
UIE#		$\iota \circ$

Permit # 24726

Harnett County Department of Public Health Site Sketch

