

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Stancel Builders PROPERTY LOCATION: 1141
SUBDIVISION: Patton's Point II LOT # 119

NEW REPAIR EXPANSION
Type of Structure: SFD-40x60-3BR
Proposed Wastewater System Type: 25% Reduction System
Projected Daily Flow: 360 GPD
Number of bedrooms: 3 Number of Occupants: 6 max

Site Improvements required prior to Construction Authorization Issuance:

Basement Yes No
Pump Required: Yes No May be required based on final location and elevations of facilities
Type of Water Supply: Community Public Well Distance from well 50 feet Permit valid for: Five years
Permit conditions: Meet onsite for final layout STUB out Plumbing No expiration
Shallow At Ground level or higher Where shown And Pump may not be Required keep drain field 50' from edge of storm pit

Authorized State Agent: [Signature] Date: 6-25-08 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Stancel Builders PROPERTY LOCATION: 1141
SUBDIVISION: Patton's Point LOT # 119

Facility Type: SFD 40x60-3BR New Expansion Repair
Basement? Yes No Basement Fixtures? Yes No
Type of Wastewater System** 25% Reduction System (Initial) Wastewater Flow: 360 GPD
(See note below, if applicable 100' of Panel Block (Repair))

Installation Requirements/Conditions
Septic Tank Size 1000 gallons
Pump Tank Size 1000 gallons
IF Needed ↗
Number of trenches 1
Exact length of each trench 150 feet
Trenches shall be installed on contour at a
Maximum Trench Depth of: 18.24 inches
(Trench bottoms shall be level to +/-1/4" in all directions)
Trench Spacing: 9 Feet on Center
Soil Cover: 6 inches
(Maximum soil cover shall not exceed 36" above the trench bottom)

Pump Requirements: _____ ft. TDH vs. _____ GPM
Aggregate Depth: _____ inches below pipe
_____ inches above pipe
_____ inches total

Conditions: _____

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: [Signature] Date: 06-25-08
Construction Authorization Expiration Date: 06-25-2013

HTE# 08-500-19876RR


Permit # 24870

Harnett County Department of Public Health Site Sketch

ISSUED TO: STANCI Builders PROPERTY LOCATOR: 1141
SUBDIVISION: Patterson Point LOT # 119

Authorized State Agent: Ju W ARS Date: 06-25-08

1141 P 3011 S
168



Meet onsite for Final Layout
 STUB out Plumbing
 Shallow AT ground level
 or higher where shown
 And pump may not be
 Required
 Maintain All set Backs
 keep drain field 50'
 from Storm Pit
 Install 150' + 25%
 Reduction system AT 18 to
 24" Deep.

93
TALL Blue Drive