

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: CMA BUILDERS LLC
PROPERTY LOCATION: 521542 OLD BUCKS CREEK RD
SUBDIVISION: Sandy Grove Section III
LOT #: 22
Type of Structure: SFD
Proposed Wastewater System Type: 25% REDUCTION System
Projected Daily Flow: 360 GPD
Number of bedrooms: 3 Number of Occupants: 6 max
Basement: No
Pump Required: No
Type of Water Supply: Public
Permit valid for: Five years

Authorized State Agent: James E. Manhart
Date: 6-20-08
SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met.

ISSUED TO: CMA BUILDERS LLC
PROPERTY LOCATION: 521542 OLD BUCKS CREEK RD
SUBDIVISION: Sandy Grove Section III
LOT #: 22
Facility Type: SFD
Basement: No
Type of Wastewater System: 25% REDUCTION System
Installation Requirements/Conditions:
Septic Tank Size: 1000 gallons
Pump Tank Size:
Number of trenches: 2
Exact length of each trench: 100 feet
Trench Spacing: 9 Feet on Center
Soil Cover: 4 inches
Aggregate Depth: 12 inches total

\*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature:
Date:

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: James E. Manhart
Date: 6-20-08
Construction Authorization Expiration Date: 6-20-13

