

HTE# 08-5-20396

Harrison County Department of Public Health

24821

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Jason + Amanda Matthews PROPERTY LOCATION: 521420 Tutor Rd
NEW ☒ REPAIR ☐ EXPANSION ☐ SUBDIVISION J Matthews LOT # _____
Site Improvements required prior to Construction Authorization Issuance: _____
Type of Structure: SFD
Proposed Wastewater System Type: CONVENTIONAL
Projected Daily Flow: 360 GPD
Number of bedrooms: 3 Number of Occupants: 6 max
Basement ☐ Yes ☒ No
Pump Required: ☐ Yes ☐ No ☒ May be required based on final location and elevations of facilities
Type of Water Supply: ☐ Community ☒ Public ☐ Well Distance from well 50' feet Permit valid for: ☒ Five years
Permit conditions: _____ ☐ No expiration

Authorized State Agent: James E. Markant Date: 7-1-08 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Jason + Amanda Matthews PROPERTY LOCATION: 521420 Tutor Rd
SUBDIVISION J Matthews LOT # _____
Facility Type: SFD ☒ New ☐ Expansion ☐ Repair
Basement? ☐ Yes ☒ No Basement Fixtures? ☐ Yes ☒ No
Type of Wastewater System** CONVENTIONAL (Initial) Wastewater Flow: 360 GPD
(See note below, if applicable ☐) LPP REPAIR (Repair)
Installation Requirements/Conditions
Septic Tank Size 1000 gallons Number of trenches 3
Pump Tank Size _____ gallons Exact length of each trench 100 feet
Trench Spacing: 9 Feet on Center
Trenches shall be installed on contour at a Soil Cover: 6 inches
Maximum Trench Depth of: 20" max inches (Maximum soil cover shall not exceed
(Trench bottoms shall be level to $\pm 1/4"$ 36" above the trench bottom)
in all directions)
Pump Requirements: _____ ft. TDH vs. _____ GPM
Aggregate Depth: 6 inches below pipe
2 inches above pipe
Conditions: _____ 12 inches total

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

SEE ATTACHED SITE SKETCH

Authorized State Agent: James E. Markant Date: 7-1-08
Construction Authorization Expiration Date: 7-1-13

HTE# 08-5-20396

Permit # 24821

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATOR: SR1420 Tutor RD

ISSUED TO: JASON + Amanda Matthews SUBDIVISION J Matthews LOT #

Authorized State Agent: James E. Mathan Date: 7-1-08

