

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: AQ Contracting PROPERTY LOCATION: 1139
NEW REPAIR EXPANSION SUBDIVISION: Tinscen Place LOT # 65

Type of Structure: SFD 42x36 BBR Site Improvements required prior to Construction Authorization Issuance:
Proposed Wastewater System Type: Pump to 25% Reduction
Projected Daily Flow: 360 GPD SYSTEM
Number of bedrooms: 3 Number of Occupants: 6 max
Basement Yes No

Pump Required: Yes No May be required based on final location and elevations of facilities
Type of Water Supply: Community Public Well Distance from well 100 feet Permit valid for: Five years
Permit conditions: Meet on site for final layout - maintain all setbacks stub out plumbing shall be at ground level or higher where shown No expiration

Authorized State Agent: J. WARS Date: 09-18-08 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: AQ Contracting PROPERTY LOCATION: 1139
SUBDIVISION: Tinscen Place LOT # 65

Facility Type: SFD 42x36 BBR New Expansion Repair
Basement? Yes No Basement Fixtures? Yes No
Type of Wastewater System** Pump to 25% Reduction sys. (Initial) Wastewater Flow: 360 GPD
(See note below, if applicable) 25% Reduction sys. (Repair)

Installation Requirements/Conditions
Septic Tank Size 1000 gallons Number of trenches 1
Pump Tank Size 1000 gallons Exact length of each trench 180 feet Trench Spacing: 9 Feet on Center
Trenches shall be installed on contour at a Maximum Trench Depth of: 18-24 inches Soil Cover: 6 inches
(Trench bottoms shall be level to +/- 1/4" in all directions) (Maximum soil cover shall not exceed 36" above the trench bottom)

Pump Requirements: _____ ft. TDH vs. _____ GPM Aggregate Depth: _____ inches below pipe
Conditions: _____ inches above pipe
_____ inches total

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: J. WARS Date: 09-18-08
Construction Authorization Expiration Date: 09-18-2013

HTE# 08-500-20874

Permit # 24994

Harnett County Department of Public Health Site Sketch

ISSUED TO: AQ Contracting

PROPERTY LOCATOR: 1139

SUBDIVISION: TIMSON PLACE

LOT # 65

Authorized State Agent: *Ja [Signature]*

Date: 9-18-08

Meet onsite for Final Layout MAINTAIN ALL SETBACKS
STUB OUT PLUMBING SHALLOW AT GROUND LEVEL OR HIGHER
WHERE SHOWN INSTALL 180' 1/2" REDUCTION SYSTEM
AT 18 TO 24" DEEP.

