

HTE# 08-500-21026

Harnett County Department of Public Health

25079

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Wynn Const. PROPERTY LOCATION: Nc 27 SUBDIVISION: Tingen Pointe LOT # 44
NEW [X] REPAIR [] EXPANSION []
Type of Structure: SFD-40x40-3BR
Proposed Wastewater System Type: 25% Red. system - Pump To
Projected Daily Flow: 360 GPD
Number of bedrooms: 3 Number of Occupants: 6 max
Basement [] Yes [X] No
Pump Required: [] Yes [] No [X] May be required based on final location and elevations of facilities
Type of Water Supply: [] Community [X] Public [] Well Distance from well 100 feet
Permit valid for: [X] Five years [] No expiration
Permit conditions: Meet on site for final layout maintain all set backs
STUB out plumbing shallow at ground level or higher where shown

Authorized State Agent: Joe L... Date: 10-15-08 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Wynn Const. PROPERTY LOCATION: Nc 27 SUBDIVISION: Tingen Pointe LOT # 44
Facility Type: SFD-40x40-3BR [X] New [] Expansion [] Repair
Basement? [] Yes [X] No Basement Fixtures? [] Yes [X] No
Type of Wastewater System** Pump to 25% Red. sys. (Initial) Wastewater Flow: 360 GPD
(See note below, if applicable [X]) Pump to 25% Red. sys. (Repair)

Installation Requirements/Conditions
Septic Tank Size 1000 gallons
Pump Tank Size 1000 gallons
Number of trenches 1
Exact length of each trench 150 feet
Trench Spacing: 9 Feet on Center
Trenches shall be installed on contour at a
Maximum Trench Depth of: 18.24 inches (Maximum soil cover shall not exceed 36" above the trench bottom)
Soil Cover: 6 inches
Pump Requirements: _____ ft. TDH vs. _____ GPM
Aggregate Depth: _____ inches below pipe _____ inches above pipe _____ inches total
Conditions: _____

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: Joe L... Date: 10-15-08
Construction Authorization Expiration Date: 10-15-2013

HTE# 08-500-21026

Permit # 25079

Harnett County Department of Public Health Site Sketch

ISSUED TO: Wynn Court

PROPERTY LOCATOR: NC 27

SUBDIVISION: Ziegen Pointe

LOT # 44

Authorized State Agent: Ju [Signature]

Date: 10-15-08

