

HTE# 08-500-21090

Harnett County Department of Public Health

25087

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Cumberland Homes
PROPERTY LOCATION: 1111
SUBDIVISION: Ashcroft LOT # 66
Type of Structure: SFD-58x64 3BR
Proposed Wastewater System Type: 25% Reduction syst.
Projected Daily Flow: 360 GPD
Number of bedrooms: 3 Number of Occupants: 6 max
Basement: No
Pump Required: No
Type of Water Supply: Public
Permit conditions: Meet onsite for final layout - maintain all set back / STUB OUT Plumbing shallow, At ground level or higher

Authorized State Agent: Joe Luter Date: 10-20-08 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Cumberland Homes
PROPERTY LOCATION: 1111
SUBDIVISION: Ashcroft LOT # 66
Facility Type: SFD 58x64 3BR New
Basement? No
Type of Wastewater System: 25% Reduction system
(Initial) Wastewater Flow: 360 GPD
25% Reduction system (Repair)

Installation Requirements/Conditions
Septic Tank Size: 1000 gallons
Pump Tank Size:
Number of trenches: 1
Exact length of each trench: 180 feet
Trench Spacing: 9 Feet on Center
Soil Cover: 6 inches
Maximum Trench Depth: 18 max inches
Aggregate Depth: inches below pipe, inches above pipe, inches total

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature: Date:

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: Joe Luter Date: 10-20-08
Construction Authorization Expiration Date: 10-20-2013

HTE# 08-500-21090

Permit # 25087

Harnett County Department of Public Health Site Sketch


ISSUED TO: Cumberland Homes

PROPERTY LOCATOR: 1111
SUBDIVISION Ashcroft

LOT # 66

Authorized State Agent: Ju LARS

Date: 10.22.08



Meet onsite for Final Layout
 Maintain All set Backs
 STUB OUT Plumbing shallows
 At ground level or higher where
 shown

Install 180 of 25% Reduction
 system at 18"

Hawstack Ct.