

Initial Application Date:

9-10-09
3-17-09

SCANNED
3/18/09
DATE

Application # 09 50021752R

Central Permitting 108 E. Front Street, Lillington, NC 27546 Phone: (910) 893-7525 Fax: (910) 893-2793 www.harnett.org

LANDOWNER: STANCIL BUILDERS INC. Mailing Address: 466 Stancil Rd

City: Angier State: NC Zip: 27501 Home #: 919-639-2073 Contact #: 919-868-2189

APPLICANT: STANCIL BUILDERS INC. Mailing Address: 466 Stancil Rd

City: Angier State: NC Zip: 27501 Home #: Contact #:

*Please fill out applicant information if different than landowner

PROPERTY LOCATION: State Road #: 1141 State Road Name: Micro Tower Rd.

Parcel: 039597 0225 68 PIN: 9597 40 8981.000

Zoning: RA-20R R-30 Subdivision: Pattons Point II Lot #: 189 Lot Size: 347 ACRE

Flood Plain: X Panel: N/A Watershed: N/A Deed Book/Page: 2271/860 Plat Book/Page: 2008/148

SPECIFIC DIRECTIONS TO THE PROPERTY FROM LILLINGTON:

US 401, right on Hwy 27, left on Doc's Rd, right on Micro Tower Rd, Subdivision on right

PROPOSED USE:

- SFD (Size 40x60) # Bedrooms 3 # Baths 2 Basement (w/wo bath) Garage X Deck X Circle: (Crawl Space) Slab
Modular: On frame Off frame (Size x) # Bedrooms # Baths Garage (site built?) Deck (site built?)
Multi-Family Dwelling No. Units No. Bedrooms/Unit
Manufactured Home: SW DW TW (Size x) # Bedrooms Garage (site built?) Deck (site built?)
Business Sq. Ft. Retail Space Type # Employees Hours of Operation
Industry Sq. Ft. Type # Employees Hours of Operation
Church Seating Capacity # Bathrooms Kitchen
Home Occupation (Size x) # Rooms Use Hours of Operation
Accessory/Other (Size x) Use
Addition to Existing Building (Size x) Use Closets in addition ()yes ()no

Water Supply: (X) County () Well (No. dwellings) () Other

Sewage Supply: (X) New Septic Tank (Need to fill out New Tank Checklist) () Existing Septic Tank () County Sewer () Other

Property owner of this tract of land own land that contains a manufactured home w/in five hundred feet (500') of tract listed above? () YES (X) NO

Structures on this tract of land: Single family dwellings 1 Proposed Manufactured Homes Other (specify)

Required Residential Property Line Setbacks: Comments: 9-10-09 Row PA by EH Cad # 102481

Table with 3 columns: Front, Rear, Side, Corner/Sidestreet, Nearest Building on same lot. Values include 35, 40, 25, 70, 10, 20, 13, 20, 10, N/A.

If permits are granted I agree to conform to all ordinances and the laws of the State of North Carolina regulating such work and the specifications of plans submitted. I hereby state that the foregoing statements are accurate and correct to the best of my knowledge. This permit is subject to revocation if false information is provided on this form.

Signature of Owner or Owner's Agent: Dorenda Bolster V.P.

Date: 3-13-09

This application expires 6 months from the initial date if no permits have been issued
A RECORDED SURVEY MAP, RECORDED DEED (OR OFFER TO PURCHASE) AND PLAT ARE REQUIRED WHEN APPLYING FOR LAND USE APPLICATION


Please use Blue or Black Ink ONLY

Southeastern Soil & Environmental Associates, Inc.

P.O. Box 9321
Fayetteville, NC 28311
Phone/Fax (910) 822-4540
Email mike@southeasternsoil.com

*Pattern Point
Lot 129*

Proposed Septic Layout



JUMPWATER DRIVE

SOUTHEASTEN SOIL & ENVIRONMENTAL ASSOC, INC.

PROPOSED SUBSURFACE WASTE DISPOSAL SYSTEM DETAIL SHEET

SUBDIVISION Patterson Point

LOT 189

INITIAL SYSTEM Approved 25% reduction

REPAIR pump to approved 25% reduction

DISTRIBUTION serial

DISTRIBUTION serial

BENCHMARK 100.0

LOCATION Top of water table

NO. BEDROOMS 3

proposed LTAR = 0.35 gpd/ft²

<u>LINE</u>	<u>FLAG COLOR</u>	<u>LENGTH</u>	<u>ELEVATION</u>
1	O	35'	102.50
2	B	50'	102.57
3	O	50'	101.84
4	B	50'	101.34
5	O	50'	101.00
6	B	50'	100.67
		<u>285'</u>	
7	O	120'	100.42
8	B	120'	100.17
9	O	35'	99.92
		<u>275'</u>	

INITIAL {

BY M. EAKER

DATE 07/2009

Install at grade
w/ 6" cover

Typical Profile 0-12 LS (VF, ungr)
12-26 SCL (F, 1/4")
pm @ 26" or greater