

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Jason Price
NEW [x] REPAIR [] EXPANSION []
PROPERTY LOCATION: SR1111 Marks Rd.
SUBDIVISION: Asheford LOT # 140
Type of Structure: SFD 52' x 42'
Proposed Wastewater System Type: 25% Reduction System
Projected Daily Flow: 360 GPD
Number of bedrooms: 3 Number of Occupants: 6 max
Basement [] Yes [x] No
Pump Required: [x] Yes [] No
Type of Water Supply: [] Community [x] Public [] Well
Permit conditions: front left property iron to be found

Authorized State Agent: Bryan McSwain, Jr. Date: 6/13/2009 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Jason Price PROPERTY LOCATION: SR1111
SUBDIVISION: Asheford LOT # 140
Facility Type: SFD [x] New [] Expansion [] Repair []
Basement? [] Yes [x] No Basement Fixtures? [] Yes [] No
Type of Wastewater System: Pump to 25% Reduction System (Initial) Wastewater Flow: 360 GPD
(See note below, if applicable []) Pump to PPBPS (Repair)

Installation Requirements/Conditions
Septic Tank Size: 1000 gallons Exact length of each trench: 260 feet Trench Spacing: 9 Feet on Center
Pump Tank Size: 1000 gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 18-15 inches (Maximum soil cover shall not exceed 36" above the trench bottom)
Pump Requirements: _____ ft. TDH vs. _____ GPM Aggregate Depth: _____ inches below pipe _____ inches above pipe _____ inches total
Conditions: Run ditch on contour, Run 1, 2 + 3 18" Run 4 + 5 15" Pipe under drive to be sleeved w/ iron ductile pipe

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: Bryan McSwain, Jr. Date: 6/13/2009
Construction Authorization Expiration Date: 6/13/2014

HTE# 09-5-21792 RRR

Permit # 25274

Harnett County Department of Public Health Site Sketch

ISSUED TO: Jason Price PROPERTY LOCATOR: 521111 Marks Rd
SUBDIVISION: Asheford LOT # 146

Authorized State Agent: Bryan McSwain R.S. Date: 6/5/2009

