
HTE# 09-5-22087 Harr	nett County Donart	mant of Dub	lic Upplth	
	nett County Depart	Inent of rud	пс пеани	25283
	Improvemer	<u>nt Permit</u>		
	A building permit cannot be issued w			
ISSUED TO: Cumberland Homes	PROPERTY LOG	CATION: 27 Laurel Vo	1	
NEW REPAIR EXPANSI		Laurel VO	-lley	LOT # <u>69</u>
Type of Structure: SED		site improvements rec	uired prior to Construction Autho	rization issuance:
Proposed Wastewater System Type: <u>fum p to</u> Projected Daily Flow: <u>560</u> GPD	conventional	·····		
Projected Daily Flow: GPD	(
Number of bedrooms: <u>3</u> Number of Occu Basement Yes Y No	ipants:max			
	uired based on final location and ele	vations of facilities		
Type of Water Supply: Community Public	Well Distance from well	feet	Permit valid for:	Five years
				\square No expiration
				•
Authorized State Agent .: Buy Milwe	in R.S. Date:	6/30/2009		
The issuance of this permit by the Health Department in no way guara site is subject to revocation if the site plan, plat, or the intended use	antees the issuance of other permits. The perm changes. The Improvement Permit shall not be	nit holder is responsible for the	cking with appropriate governing bodies in	ACHED SITE SKETCH meeting their requirements. This compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditio	ns of this permit.			
	Construction A	uthorization		
_	(Required for Buil	ding Permit)		
The construction and installation requirements of Rules .1950, .1952, .1 with the attached system layout.	1954, 1955, 1956, 1957, 1958. and 1959	are incorporated by references	nto this permit and shall be met. Systems	shall be installed in accordance
, ,		~		
ISSUED TO: Comberland Home	es propert	Y LOCATION:7)	
			Valley	LOT # <u>69</u>
Facility Type:FD Basement?	🔄 New 🔲 Expar	nsion 🗌 Repair		
	itures? [] Yes [] No			310
(See note below, if applicable [])	Connation		(Initial) Wastewater Flow:	GPD GPD
Auge to	o 25% Reduction	(Repair)		
Installation Requirements/Conditions	Number of trenches 3	(nepan)		
Septic Tank Size <u>/000</u> gallons		135 feet	Trench Spacing: 9	Feet on Center
Pump Tank Size / 000 gallons	Exact length of each trench Trenches shall be installed on c	contour at a	Soil Cover: 8 i	nches
	Maximum Trench Depth of:	20 inches	(Maximum soil cover shall n	ot exceed
	(Trench bottoms shall be level	to +/-1/4"	36" above the trench bott	om)
	in all directions)		1	/
Pump Requirements:ft. TDH vs	GPM		6	inches below pipe
Conditions: Drain Field to be in on Contour. Supply I.n.	and IT 11	IG D V	Aggregate Depth:2	inches above pipe
conditions: Stan Field to be in	covement for lot	-67 Kun ch	and ines	12 inches total
on control . Dopping I.M.	2 to be placed	11 Carmen	the supply lie	<u>ع</u>
**If applicable: / understand the system type specified	' is different from the type specifi	ied on the application.	l accept the specifications of ti	his permit.
Owner/Legal Representative Signature:			Data	
Owner/Legal Representative Signature:	lat, or the intended use changes. The Constru	iction Authorization shall not he	transferred when there is a change in ow	nership of the site. This
construction Authorization is subject to compliance with the provisions of	the Laws and Rules for Sewage Treatment an	nd Disposal and to the condition	is of this permit. SEE A	ATTACHED SITE SKETCH
	/			

an a

State Agent;	Mc/win R.S.	Date: 6 30/2009
2	Construction	Authorization Expiration Date: 6/30/2014

Authorized



* See Attachment for Supply Line Forement

