25675

HTE# 09-5-22366R

## Hamet County Department of Public nealth

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: HW127W ISSUED TO: AMERICAN HOMESOUTH SUBDIVISION TINGEN POINT LOT # 81 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: S FO (13×52) Proposed Wastewater System Type: Pump To PRBPS Projected Daily Flow: 360 GPD Number of bedrooms: 3 Number of Occupants: Basement Yes ☐ May be required based on final location and elevations of facilities Pump Required: XYes Five years Type of Water Supply: 

Community Public Well Distance from well 100 feet Permit valid for: ■ No expiration Permit conditions: REMS 9/24/09 SEE ATTACHED SITE SKETCH Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the squance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: AMERICAN HOMESMATH PROPERTY LOCATION: HWY 27W SUBDIVISION TINGEN POINT (8 # TOJ Facility Type: SFD(43757) New Expansion Repair Basement? Yes No Basement Fixtures? Yes (Initial) Wastewater Flow: 360 PUMP T. PPBPS Type of Wastewater System\*\* (See note below, if applicable 

) PUNG TO CONVENTIONAL W PRESCREAT (REDAIR) Number of trenches 2 Installation Requirements/Conditions Exact length of each trench 100 feet Trench Spacing: 9 Feet on Center Septic Tank Size LOOO gallons Soil Cover: Pump Tank Size gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: \_\_\_\_\_ft. TDH vs. \_\_\_ inches below pipe inches above pipe Conditions: THIS PERMIT BASED ON PROPOSAL FROM APPLICANTS SOIL SCIENTIFT. WATER LINE inches total MUST BE 10 FROM SEPTIL SYSTEM. NO UTILITIES MAY ENGROACH ON INITIAL OR REPORT ADEA. SEE ATTACHED SITE PLAN FOR SYSTEM PLACEMENT \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is the compliance will the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: \_ Construction Authorization Expiration Date:

michael eaker

