

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Kent Pierce
NEW [x] REPAIR [] EXPANSION []
Type of Structure: SFD 50x40
Proposed Wastewater System Type: Conventional
Projected Daily Flow: 360 GPD
Number of bedrooms: 3 Number of Occupants: 6 max
Basement [] Yes [x] No

PROPERTY LOCATION: SR 1111 Marks Rd.
SUBDIVISION: Asheford LOT # 10
Site Improvements required prior to Construction Authorization Issuance:

Pump Required: [] Yes [] No [x] May be required based on final location and elevations of facilities
Type of Water Supply: [] Community [x] Public [] Well Distance from well _____ feet
Permit valid for: [x] Five years [] No expiration
Permit conditions: House must be built according to site plan if not
Permit is subject to be REVOKED

Authorized State Agent: Bryan McSwain R.S. Date: 9/4/2009 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Kent Pierce
Facility Type: SFD [x] New [] Expansion [] Repair []
Basement? [] Yes [x] No Basement Fixtures? [] Yes [] No

PROPERTY LOCATION: SR 1111
SUBDIVISION: Asheford LOT # 10

Type of Wastewater System** Conventional (Initial) Wastewater Flow: 360 GPD
(See note below, if applicable [])
Conventional (Repair)

Installation Requirements/Conditions
Septic Tank Size 1000 gallons Exact length of each trench 50 feet Trench Spacing: 9 Feet on Center
Pump Tank Size _____ gallons Trenches shall be installed on contour at a Soil Cover: 12-18 inches
Maximum Trench Depth of: 24.36 inches (Maximum soil cover shall not exceed 36" above the trench bottom)
(Trench bottoms shall be level to +/- 1/4" in all directions)

Pump Requirements: _____ ft. TDH vs. _____ GPM
Aggregate Depth: 6 inches below pipe, 2 inches above pipe, 12 inches total
Conditions: No utilities allowed in the drain field area or
Repair Area Water line must be at least 10ft. from any part of the septic system

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: Bryan McSwain R.S. Date: 9/4/2009
Construction Authorization Expiration Date: 9/4/2014

HTE# 09-5-22663

Permit # 25610

Harnett County Department of Public Health Site Sketch

ISSUED TO: Kent Pierce PROPERTY LOCATOR: SR 1111 Marks Rd.
SUBDIVISION: Askeford LOT # 10

Authorized State Agent: Guy McWinn P.S. Date: 9/4/2009

