1TE#<u>O9 -5-327</u>40

Harnett County Department of Public Health

25687

Improvement Permit

A building permit cannot be issued with only an Improvement Permit ISSUED TO: CUMBERZAND HOMES INC SUBDIVISION MICE BORNCH (SECT) PROPERTY LOCATION: NC27W Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFO 4635 Proposed Wastewater System Type: Pump To 25% REDUCTION Projected Daily Flow: _360 GPD Number of Occupants: Number of bedrooms: Basement ☐Yes Pump Required: ⊠Yes □ No ☐ May be required based on final location and elevations of facilities Type of Water Supply:
Community Public Well Distance from well 100 feet Permit valid for: Five years Permit conditions: ☐ No expiration The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules 1950, 1952, 1954, 1955, 1956, 1957, 1958, and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: CUMBERZAND HOMES INC PROPERTY LOCATION: W27V SUBDIVISION MIRE BRANCH (SECT) Facility Type: SED (46 35)

New Expansion Repair LOT # 43 Basement? | Yes | No Basement Fixtures? | Yes | No
Type of Wastewater System** | Pune To 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 360 GPD (See note below, if applicable □) PUMPT - 25% REDUCTION STSEM (Repair) Number of trenches ' Installation Requirements/Conditions Exact length of each trench 65 feet Trench Spacing: 6 Feet on Center Septic Tank Size 1000 gallons Pump Tank Size __ LOOO gallons Soil Cover: Trenches shall be installed on contour at a Maximum Trench Depth of: 18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. GPM inches below pipe Conditions: WATED LINE MUST BE 10 FROM SECTIC STATEM. NO UTILITIES inches total MAY ENCROPEH ON INITIAL OR REPAIR AGENT. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date: 1/1/14

HIE# 07-2-72140	
-----------------	--

Permit # <u>25687</u>

Harnett County Department of Public Health Site Sketch

C ~ 1)	PROPERTY LOCATON: NC	N.C.	
ISSUED TO: CUMBERLAND HORES INC		BRANCH (SECT)	LOT # <u>43</u>
Authorized State Agent:	EH (OLIVER TOLKSDOM)	Date: 10 109	
		• •	

