25686

HTE# 09-5-22742

Harnett County Department of Public Health

Improvement Permit


A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: NC27W ISSUED TO: CUMBERIAND HOMES INC SUBDIVISION MREBRANCH (SECT) Type of Structure: SFO (50 'A48') Site Improvements required prior to Construction Authorization Issuance: Proposed Wastewater System Type: Pume To Conventional Projected Daily Flow: 360 GPD Number of Occupants: Number of bedrooms: Basement Yes No ☐ May be required based on final location and elevations of facilities Pump Required: Yes Type of Water Supply:

Community Public

Well Distance from well 100 feet Permit valid for: Five years No expiration Permit conditions: REIX Authorized State Agent:: SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1954, .1955, .1956, .1955, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: CUMERERAND HOMES INC PROPERTY LOCATION: NC27W SUBDIVISION MIRE BRANCH LOT # 63 Facility Type: SFD (50 248) ☐ Expansion ☐ Repair Basement? Yes No Basement Fixtures? Yes No (Initial) Wastewater Flow: 360 Type of Wastewater System** Pume To ConvENTIONAL (See note below, if applicable) Number of trenches 2 Installation Requirements/Conditions Exact length of each trench 75 feet Trench Spacing: 9 Feet on Center Septic Tank Size LOOO gallons Soil Cover: 24-6 Trenches shall be installed on contour at a Pump Tank Size 1000 gallons Maximum Trench Depth of: 36-18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) 6 inches below pipe Pump Requirements: ______ft. TDH vs. _____ Aggregate Depth: 2 inches above pipe Conditions: WATER LINE MUST BE 10 FROM SEITIC SYSTEM. NO UTILITIES MAY ENCROPACT ON INITIAL OR REPAIR AREA **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Construction Authorization Expiration Date:

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATON: NC27W	
ISSUED TO: CUMBERLAND HOMES INC SUBDIVISION MIRE BRANCH	LOT # 63
Authorized State Agent: Date: 10 1)09	



SUNRIOGE Daire