


Southeastern Soil & Environmental Associates, Inc.

P.O. Box 9321
Fayetteville, NC 28311
Phone/Fax (910) 822-4540
Email mike@southeasternsoil.com

Carolina Oaks
Lot 50
proposed septic
Layout



CAROLINA OAKS CIRCLE

⊗ MOVE HOUSE 0.1 FEET
TO RIGHT (SOUTH) (NEED 36.0')
AS SHOWN

⊗ REVERSE DRIVE TO RIGHT
SIDE AS SHOWN

1" = 50'

SOUTHEASTEN SOIL & ENVIRONMENTAL ASSOC, INC.

PROPOSED SUBSURFACE WASTE DISPOSAL SYSTEM DETAIL SHEET

SUBDIVISION Carolina Oaks

LOT 50

INITIAL SYSTEM Approved 25% reduction

REPAIR 2' INFILTRATOR

DISTRIBUTION D-box

DISTRIBUTION serial

BENCHMARK 100.0

LOCATION front corner 49/50

NO. BEDROOMS 3

proposed CTAR = 0.25 gpd/ft²

<u>LINE</u>	<u>FLAG COLOR</u>	<u>ELEVATION</u>	<u>ACTUAL LENGTH</u>
-------------	-------------------	------------------	----------------------

Facial {

1	P		120'
2	W		120'
3	P		120'
			<u>360'</u>
4	P		150'
5	W		150'
6	P		150'
7	W		40'
			<u>490' AVAIL</u>

BY M EBER

DATE 01/10

