25859

HTE# 10-5-23528

## Harnett County Department of Public Health

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: LASATER RD ISSUED TO: KEITLY BULLOCK BUILDER SUBDIVISION WALNUT GROVE LOT # 29 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD (60 760) Proposed Wastewater System Type: 25% REDUCTION SISTEM Projected Daily Flow: 360 GPD
Number of bedrooms: 3 Number Number of Occupants: 6 max Basement Yes Pump Required: ☐Yes ☐ May be required based on final location and elevations of facilities Type of Water Supply: 

Community Public Well Distance from well 100 feet Permit valid for: Five years ■ No expiration Permit conditions: REMS Authorized State Agent:: SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Rermit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: KETTH BULLOCK BUILDER PROPERTY LOCATION: LASATER RD SUBDIVISION WALNUT GROVE LOT # 29 Facility Type: 5 FO (60'760') New Expansion Repair Basement? Yes No Basement Fixtures? Yes No 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 360 **GPD** Type of Wastewater System\*\* (See note below, if applicable ) 25% REDUCTION SYSTEM (Repair) Number of trenches 3 Installation Requirements/Conditions Exact length of each trench 75 feet Trench Spacing: 9 Feet on Center Septic Tank Size 1000 gallons Pump Tank Size gallons Trenches shall be installed on contour at a inches Maximum Trench Depth of: 24 (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: \_\_\_\_\_ft. TDH vs. \_\_\_\_ inches below pipe Aggregate Depth: \_\_\_\_\_ inches above pipe Conditions: WATER LINE MUST BE 10 FROM SETTIC SYSTEM inches total \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plate or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provision of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Construction Authorization Expiration Date: 1 19 15

## Harnett County Department of Public Health Site Sketch

Authorized State Agent: PROPERTY LOCATON: LASATEZ RD

PROPERTY LOCATON: LASATEZ RD

SUBDIVISION WALNUT GROVE LOT # 29

