

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Moss Home Builders Inc. PROPERTY LOCATION: LASATER RD. SUBDIVISION: WALNUT GROVE LOT # 6. Type of Structure: SFD (50'x50'). Proposed Wastewater System Type: 25% REDUCTION. Projected Daily Flow: 360 GPD. Number of bedrooms: 3. Number of Occupants: 6 max. Basement: No. Pump Required: No. Type of Water Supply: Public. Distance from well: 100 feet. Permit valid for: Five years.

Authorized State Agent: [Signature] REHS Date: 1/21/10 SEE ATTACHED SITE SKETCH. The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: MOSS HOME BUILDERS INC. PROPERTY LOCATION: LASATER RD. SUBDIVISION: WALNUT GROVE LOT # 6. Facility Type: SFD (50'x50'). New. Basement: No. Type of Wastewater System: 25% REDUCTION SYSTEM. (Initial) Wastewater Flow: 360 GPD. LPR (Repair).

Installation Requirements/Conditions. Number of trenches: 1. Septic Tank Size: 1000 gallons. Exact length of each trench: 300 feet. Trench Spacing: 9 Feet on Center. Pump Tank Size: [blank] gallons. Trenches shall be installed on contour at a Maximum Trench Depth of: 18 inches. Soil Cover: 6 inches. (Maximum soil cover shall not exceed 36" above the trench bottom). Pump Requirements: [blank] ft. TDH vs. [blank] GPM. Aggregate Depth: [blank] inches above pipe. Conditions: WATER LINE MUST BE 10' FROM SEPTIC SYSTEM. UTILITIES MAY NOT ENCR OACH IN INITIAL OR REPAIR AREA.

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: [blank] Date: [blank]

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: [Signature] REHS Date: 1/21/10 Construction Authorization Expiration Date: 1/21/15

HTE# 10-5-23545

Permit # 25862

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATOR: LASATER RD

ISSUED TO: MOSS HOME BUILDERS INC SUBDIVISION WALNUT GROVE LOT # 6

Authorized State Agent: ~~RENS (OLIVER TOLKSOOP)~~ Date: 1/21/10

