

COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY			
		SC-SANDY CLAY			


STRUCTURE

- SG-SINGLE GRAIN
- M-MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC

MINERALOGY

- SLIGHTLY EXPANSIVE
- EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)





S12°30'56"E
161.45

(30)

34.98

49.00

220.07

48.00

48.00

49.00

29.29

N66°55'49"W 298.26

(31)

N80°36'46"W



335.00=R
80.00=L

OMAHA DRIVE
50' PUBLIC R/W

SITE PLAN APPROVAL

DISTRICT PA 202 USE SFD

#BEDROOMS 3

1/25/10

[Signature]
PLANNING ADMINISTRATOR

(29)

THIS MAP WAS PREPARED FROM RECORDED DATA, AS NOTED, AND FROM OTHER SOURCES PROVIDED BY THE OWNER. THIS IS A PRELIMINARY SITE PLAN, INTENDED FOR PLANNING USE ONLY AND IN NO WAY REPRESENTS A SURVEY MADE BY THIS COMPANY. THIS MAP IS NOT INTENDED FOR RECORDATION, CONVEYANCES, OR SALES.

Charlie T. Carpenter, P.L.S.

Professional Land Surveyor

1940 Juniper Church Road
Four Oaks, NC 27524

(919) 963-2909

(919) 320-5281



PRELIMINARY SITE PLAN FOR:

WYNN CONSTRUCTION

PIN 9597-36-5177.000
PARCEL ID 039576 0088 30
LOT 30 TINGEN POINTE S/D
PB2007 PG711-718
9/01/09
1"=50'

235 OMAHA DRIVE
BROADWAY, NC 27503

SOUTHEASTERN SOIL & ENVIRONMENTAL ASSOC, INC.

PROPOSED SUBSURFACE WASTE DISPOSAL SYSTEM DETAIL SHEET

SUBDIVISION Tinaja Pt

LOT 30

INITIAL SYSTEM pump to approved 25% rednt

REPAIR pump to

DISTRIBUTION sewer

DISTRIBUTION sewer

BENCHMARK 100.0

LOCATION Top of hole. perverts

NO. BEDROOMS 3

proposed CTRR = 0.6 gpd/ft²

<u>LINE</u>	<u>FLAG COLOR</u>	<u>ELEVATION</u>	<u>ACTUAL LENGTH</u>
-------------	-------------------	------------------	----------------------

Initial

1	R	97.25	40'
2	B	96.34	60'
3	R	95.34	60'
			<u>160'</u>
4	B	94.34	60'
5	R	93.34	60'
6	W	92.34	40'
			<u>160'</u>

BY ME EAKER

DATE 08/2009

+ remove vegetation only when clearing

Ⓧ R. not remove soil

Typ Profile
 0-26 US (VF, ug-)
 26-34 SLOM (VF, ug-)
 34-48 US (VF, ug-)
 c' 2 7 46"