Harnett County Department of Public nealth

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: MARKS RS ___ SUBDIVISION ___ BLACKWELL HOMES INC ASHEFORD NEW 🔀 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD (60'~60) Proposed Wastewater System Type: Pume To CONVENTIONAL Projected Daily Flow: 360 Projected vary ...

Number of bedrooms: 3

No 3 Number of Occupants: 6 max Pump Required: XYes ☐ May be required based on final location and elevations of facilities ☐ No Type of Water Supply:

Community Public

Well Distance from well 100 feet Five years Permit valid for: Permit conditions: ☐ No expiration 3/10/10 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: BLACKMELL HOMES INC PROPERTY LOCATION: MARCHE RO SUBDIVISION ASHEFORD Facility Type: SFD (60'x60') New Expansion Repair Basement Fixtures?

Yes PUMPTO CONVENTIONAL (Initial) Wastewater Flow: 360 GPD Type of Wastewater System** (See note below, if applicable UMP TO CONVENTIONAL (Renair) Installation Requirements/Conditions Number of trenches 3 Exact length of each trench 75 Septic Tank Size 1000 feet Trench Spacing: _____ Feet on Center gallons Pump Tank Size 1000 Trenches shall be installed on contour at a Soil Cover: 8-24 inches Maximum Trench Depth of: 20-36 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. Conditions: WATER LINE MUST BE 10 FROM SEPTIC SYSTEM **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date:

Harnett County Department of Public Health Site Sketch

