

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: HOWARD BUILDERS LLC
PROPERTY LOCATION: MARKS RD
SUBDIVISION: ASHEFORD LOT # 82
Type of Structure: SFD (56x49)
Proposed Wastewater System Type: 25% REDUCTION SYSTEM
Projected Daily Flow: 480 GPD
Number of bedrooms: 4 Number of Occupants: 8 max
Basement: No
Pump Required: May be required based on final location and elevations of facilities
Type of Water Supply: Public
Permit conditions: [Handwritten signature]

Authorized State Agent: [Handwritten signature] Date: 5/18/10 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization (Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: HOWARD BUILDERS LLC
PROPERTY LOCATION: MARKS RD
SUBDIVISION: ASHEFORD LOT # 82
Facility Type: SFD (56x49) New
Basement? No
Type of Wastewater System: 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 480 GPD
(See note below, if applicable) 25% REDUCTION SYSTEM (Repair)

Installation Requirements/Conditions
Septic Tank Size: 1000 gallons
Pump Tank Size: [blank] gallons
Number of trenches: 1
Exact length of each trench: 200 feet
Trench Spacing: 9 Feet on Center
Soil Cover: 6-12 inches
Maximum Trench Depth of: 18-24 inches
(Trench bottoms shall be level to +/-1/4" in all directions)
Pump Requirements: [blank] ft. TDH vs. [blank] GPM
Aggregate Depth: [blank] inches above pipe
Conditions: WATER LINE MUST BE 10' FROM SEPTIC SYSTEM. NO UTILITIES MAY ENCRACH ON INITIAL OR REPAIR AREA.

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature: [blank] Date: [blank]

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH


Authorized State Agent: [Handwritten signature] Date: 5/18/10
Construction Authorization Expiration Date: 5/18/15

HTE# 10-5-24406

Permit # 26044

Harnett County Department of Public Health Site Sketch

ISSUED TO: HOWARD BUILDERS LLC PROPERTY LOCATION: MARSH RD
SUBDIVISION ASHFORD LOT # 82
(OLIVER TOLKSOOP)
Authorized State Agent: [REDACTED] RENS Date: 5/18/10



WYNGATE DR