Department of Environment, Health and l Division of Environmental Health On-Site Wastewater Section

al Resources

Sh Property ID: Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Locat Water Evalu		j	Date 200 y∩ Design Proposition	Evaluated: 6/7 gn Flow (.1949); 5 erty Recorded:	□ Well □	,	☐ Other		
P R O F I L E	.1940 Landscape Position	Horizon Depth	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS .1942 Soil .1943 .1956 .1944				Profile
	Slope %	(ln.)	Structure/ Texture	Consistence Mineralogy	Wetness/ Color	Soil Depth (IN.)	Sapro Class	Restr Horiz	Class & LTAR
'	0290	0-256	sis 9	NEV WZ)UD		-			12.8
2	+	0-48	56.5	VFZ uship	. 1.6.7.	et e			Sy
									3
			vi vi						
,									
			i		3		g/=		
			•						
		- 1							
escription		Initial	Repair	Sustan C	her Factors (1946):				

Other Factors (.1946):

Site Classification (.1948): 5

Evaluated By:

Others Present:

System

CON

.3

Available Space (.1945)

System Type(s)
Site LTAR

Repair System

CON

18

COMMENTS: ____

LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET	
R-RIDGE S-SHOULDER SLOPE L-LINEAR SLOPE	I	S-SAND LS-LOAMY SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTY STICKY	
FS-FOOT SLOPE N-NOSE SLOPE H-HEAD SLOPE	II	SL-SANDY LOAM L-LOAM	0.8 - 0.6	FI-FIRM: VFI-VERY FIRM EFI-EXTREMELY FIRM	S-STICKY VS-VERY STICKY NP-NON-PLASTIC.	
CC-CONCLAVE SLOPE CV-CONVEX SLOPE T-TERRACE FP-FLOOD PLAN	П	SI-SILT SIL-SILT LOAM CL-CLAY LOAM SCL-SANDY CLAY LOAM	0.6 - 0.3		SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC	

IV SIC-SILTY CLAY 0.4 - 0.1 C-CLAY SC-SANDY CLAY

STRUCTURE
SQ-SINGLE GRAIN
M- MASSIVE
CR-CRUMB
GR-GRANULAR
9BK-SUBANGULAR BLOCKY
ABK-ANGULAR BLOCKY
PL-PLATY

MINERALOGY SLIGHTLY EXPANSIVE

EXPANSIVE

PR-PRISMATIC Show profile locations and other site features (dimensions, references or benchmark, and North)

