HTE#10-5-24465

Harnett County Department of Public Health

26145

Improvement Permit

PROPERTY LOCATION: Macco Ro
ISSUED TO: CUMBERLAND MOMES SUBDIVISION ASSETTION
REPAIR FYRANSION D
Type of Structure: SFD (84735-) Site Improvements required prior to Construction Authorization Issuance:
Proposed Wastewater System Type: Pume To Conventional Projected Daily Flow: 360 GPD
Number of hadrons
Basement 🗆 Yes 🔀 No
Pump Required: Tyes No May be required based on final lastic and the second of the second of the lastic and the second of the lastic and the second of the lastic and the second of the second o
Type of Water Supply. L. Committee West Distance Learner Co
remit conditions.
□ No expiration
Authorized State Agent: Date: 7 1 10 SEE ATTACHED SITE SYSTEM The issuance of this paper by the Market State Sta
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
Construction Authorization
(Required for Public P. 1)
with the attached system layout.
ISSUED TO: CUMBERZAND HOMES PROPERTY LOCATION: MARKS RD
PROPERTY LOCATION: MARKS RD
Facility Trans SED (FACX26)
TADAIISION Kenair
Type of Wastewater System** Pume To Convention Rep. (Initial) Wastewater Flow: 360 GPD
(*** meta below, in applicable [_])
ULTATEHALLOW CONVENT, ONAL (Repair) Installation Requirements/Conditions Number of trenches 3
Sentic Teals Cine 1 000
Power Total Sent of each (rench paging) Feet on Contex
garons renches shall be installed on contour at a Soil Cover: 18 - 8 inches
Maximum Trench Depth of: 30-20 inches (Maximum soil cover shall not exceed
(French bottoms shall be level to +/-1/4" 36" above the trench bottom)
IN all directions)
Pump Requirements:ft. TDH vs GPM inches below pipe
Conditions: Waster Line Muse Be 10' Form Service Survey of Aggregate Depth: 2 inches above pipe
Conditions: WATERLINE MUST BE 10' FROM SEPTIC SYSTEM. NO UTILITIES 12 inches above pipe MAY ENCROPAGE ON INITIAL OR REPAIR ARGAS.
MINISTAL ON REPAIR ARGAS.
*#
*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
wner/Legal Representative Signature: Date:
to constitution authorization is subject to revocation if the site plan, plat, or the intended use changer. The Constitution is subject to revocation if the site plan, plat, or the intended use changer.
nstruction Authorization is subject to compliance who the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH
uthorized State Agent: Date: 71)10
Construction Authorization Expiration Date: 71115

HTE# 10-5-24465	
-----------------	--

Permit # 26145

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATON: MARKS RD	
ISSUED TO: UMGERIAND HOMES SUBDIVISION ASHET ORD LOT	# 143
Authorized State Agent: REMS (OLIVER TOLKSOOR) Date: 7 1 1 0	

