Projected Daily Flow: 360 GPD

## Harnett county Department of Public Heartn

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 27WEST ISSUED TO: WYMN CONSTRUCTION SUBDIVISION TINGEN POINTE LOT # 113 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SED (75×45) Proposed Wastewater System Type: 25% REDUCTION SYSTEM Number of Occupants: Permit valid for:

Number of bedrooms: Basement Yes No ☐ May be required based on final location and elevations of facilities Pump Required: ☐Yes ► No Type of Water Supply: 

Community Public 

Well Distance from well 100 feet ☐ No expiration Permit conditions: Authorized State Agent:: REAS SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: WYNN CONSTRUCTION PROPERTY LOCATION: 27 WEST
SUBDIVISION TIMEEN POINTE LOT # 113 Facility Type: SED (75 × 45)

Basement? Yes No Basement Fixtures? Yes New Expansion Repair 25% REDUCTION STOREM (Initial) Wastewater Flow: 360 GPD Type of Wastewater System\*\* (See note below, if applicable  $\square$ ) 25% REDUCTION SYSTEM (Repair) Number of trenches Installation Requirements/Conditions Exact length of each trench 180 feet Trench Spacing: \_\_\_\_\_\_ Feet on Center Septic Tank Size 1000 gallons Trenches shall be installed on contour at a Pump Tank Size gallons Maximum Trench Depth of: \_\_\_\_18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. inches below pipe Aggregate Depth: \_\_\_\_\_\_ inches above pipe Conditions: Do NOT REMOVE ANY SOIL WHEN CLEARING. WATER LINE \_\_\_\_\_\_ inches total & ALL OTHER UTILITIES MUST BE 10' FROM SEPTIC SYSTEM AND REPAIR AREA. THIS PERMIT BASED ON A PROPOSAL FROM APPLICANTS SOIL SCIENTIST. \*\* If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH

Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

Authorized State Agent: Construction Authorization Expiration Date:

## Harnett County Department of Public Health Site Sketch

Authorized State Agent:

PROPERTY LOCATON: 67 WEST

SUBDIVISION TINGEN POINTE

LOT # 113

