HTE# 10-5-24923

Harnett County Department of Public Health

Improvement Permit

26229

	A building permit cannot be issued with only an Improvement Permit	
Issues to Samuel &	PROPERTY LOCATION: LASATER RD	
ISSUED TO: STEPHENSON BUILD		LOT # <u>13</u>
	Site Improvements required prior to Construction Authorizati	ion Issuance:
Type of Structure: 5FO 160×60		
Proposed Wastewater System Type: 25% RE	SOUCTION DYSTEM	
Projected Daily Flow: 430 GPD		
	ccupants: 8 max	
Basement Yes X No		
Pump Required: ☐Yes ☑ No ☐ May be re	equired based on final location and elevations of facilities	,
	c 🗆 Well Distance from well <u>\OO</u> feet Permit valid for:	🗷 Five years
Permit conditions:		☐ No expiration
	A	•
Authorized State Agent::	CEHS Date: 8 9 10 SEE ATTACH	ED SITE SKETCH
The issuance of this permit by the Health Department in no way gu site is subject to revocation if the site plan, plat, or the intended u the Laws and Rules for Sewage Treatment and Disposal and to cond	uarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in mee use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to comp ditions of this permit.	ting their requirements. This oliance with the provisions of
	Construction Authorization	
	(Required for Building Permit)	
with the attached system layout.	2, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall	
ISSUED TO: STEPHENSON BUI	SUBDIVISION WALNER GROVE	
Facility Type: SFO (50'160')	SUBDIVISION MALNU GROVE	LOT # <u>\2</u> _
racility Type: 370 CO AGO		
Basement? 🗆 Yes 🔀 No 🛮 Basement I	Fixtures? 🗌 Yes 💢 No	
Type of Wastewater System** 25°/6 _	REDUCTION SYSTEM (Initial) Wastewater Flow:	₩ 4780 GPD
(See note below, if applicable [])		
25%	REOUCTION SYSTEM(Repair)	
Installation Requirements/Conditions	Number of trenches\	
Septic Tank Size <u>\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</u>		
,	Exact length of each trench 300 feet Trench Spacing: 6	
Pump Tank Size gallons	Trenches shall be installed on contour at a Soil Cover: inche	
	Maximum Trench Depth of:\% inches (Maximum soil cover shall not o	
	(Trench bottoms shall be level to +/-1/4" 36" above the trench bottom)	
	in all directions)	
Oump Requirements:ft. TDH vs	GPM	inches below pipe
	Aggregate Depth:	inches above nine
Conditions:	1881 28 att Deptil.	• •
		inches total
VATER LINES (INCLUDING IRRIGATION) MUST	T BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.	
IO UTILITIES ALLOWED IN INITIAL OR REPAIR	L DRAIN FIELD AREA.	
*16 15 15 1 1 1 1 1		
"II applicable: I understand the system type specifi	fied is different from the type specified on the application. I accept the specifications of this p	permit.
wner/Legal Representative Signature:	Date: n, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownersh	
nis Construction Authorization is subject to revocation if the site plan	n, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownersh	nip of the site. This
onstruction Authorization is subject to compliance with the provisions	s of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.	CHED SITE SKETCH
uthorized State Agent:	Date: 8/9/10	
attionized state Agent.		-
	Construction Authorization Expiration Date: (8 9)5	1

Harnett County Department of Public Health Site Sketch

