HTE# 10-5-24956

Harnett county Department of Public Hearth

Improvement Permit

26237

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: MARKS RD SIGNATURE HOME BUILDERS SUBDIVISION CORER FARMS Type of Structure: SFD (56 ×46) Site Improvements required prior to Construction Authorization Issuance: Proposed Wastewater System Type: Conversional Projected Daily Flow: 360 Number of Occupants: 6 max Number of bedrooms: Basement Yes DKN0 ☐ May be required based on final location and elevations of facilities Pump Required: □Yes Type of Water Supply:

Community Public Well Distance from well 100 feet Five years Permit valid for: ☐ No expiration Permit conditions: REAS SEE ATTACHED SITE SKETCH Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: 5 GNATURE HOME BUILDERS PROPERTY LOCATION: MARKS RO SUBDIVISION COOPER FARMS CONVENTIONAL (Initial) Wastewater Flow: 360 Type of Wastewater System** (See note below, if applicable


) ONVENTIONAL Number of trenches 3 Installation Requirements/Conditions 50 feet Trench Spacing: _____ Feet on Center Septic Tank Size 1000 gallons Exact length of each trench Soil Cover: 12-24 Pump Tank Size _____ gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 24-36 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. _____ GPM Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date: 8 13 15

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATON: MARCHS RD

ISSUED TO: SIGNATURE HORSE BUILDERS SUBDIVISION COOPER FORMS LOT # 4

Authorized State Agent: Date: 8 13 10



HARDING LANE