
HTE# 10-5-25065R Harnett County Department of Public Health 26767 **Improvement** Permit A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: Wire Rd ISSUED TO: Savry Hones SUBDIVISION Kenton Farms LOT # NEW 🗹 EXPANSION 🗆 REPAIR 🗆 Site Improvements required prior to Construction Authorization Issuance: SFD Type of Structure: Proposed Wastewater System Type: Conventioned 25% Roduction Projected Daily Flow: 480 GPD 4 8 Number of bedrooms: Number of Occupants: max 1 No Basement **P**Yes May be required based on final location and elevations of facilities Pump Required: Yes 1 No Type of Water Supply: Community Public Well Distance from well _____ feet Five years Permit valid for: □ No expiration Permit conditions: Authorized State Agent: State A site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. **Construction** Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Javry Homes PROPERTY LOCATION: Wire Rd. SUBDIVISION Kenlan Farms LOT # 4 Expansion Repair 🗹 New Facility Type: <u>SFD</u> Basement? Yes Basement Fixtures? 🗆 Xes 🗆 No Convertional 25% Reduction (Initial) Wastewater Flow: 480 GPD Type of Wastewater System** (See note below, if applicable 🗹) conventional 25 To Red sprepair) Number of trenches \mathcal{S} Installation Requirements/Conditions Exact length of each trench 250 feet Trench Spacing: _____ Feet on Center Septic Tank Size /000 gallons Soil Cover: 6-12 inches Trenches shall be installed on contour at a Pump Tank Size _____ gallons Maximum Trench Depth of: 18-30 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Aggregate Depth: <u>2</u> inches below pipe <u>12</u> inches above pipe Pump Requirements: ______ft. TDH vs. _____ GPM Conditions: _____ WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

_		0			
		and and	<u>, , , , , , , , , , , , , , , , , , , </u>		
	Authorized State Agent:	MusinkEH	Date://	14/20	<u>! </u>
		Construction Auth	norization Expiration Date:	11/4/20	0/6

HTE# <u>10-5-25065R</u> Harnett County Department of Public Health Site Sketch

PROPERTY LOCATON: Wire Rd. _____ SUBDIVISION Kenton Form ISSUED TO: <u>Savy Homes</u> Authorized State Agent: <u>Sugar</u> Missin, <u>REHS</u> Date: <u>11</u> LOT # 4 4/2011





W 0.25 25-40 VAR MAR 5L 40-48 LS 5, 8

(2 C48 G/25 Uhr.NSNP 5. 8 (3 C-48 G/25 Uhr.WSNP 5.8

. .



