HTE# 10-5-25193R

Harnett County Department of Public Health

Improvement Permit

26281

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: Hwy210 ISSUED TO: GARY ROBINSON HOMES SUBDIVISION GWEN ONES NEW 🔀 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFO (20×50) Proposed Wastewater System Type: 25% REDUCTION Projected Daily Flow: ________________ Number of bedrooms: Number of Occupants: Basement □Yes Pump Required: TYes ☐ May be required based on final location and elevations of facilities Type of Water Supply: 🗆 Community 🔀 Public 🗆 Well Distance from well <u>1</u> Permit valid for: Permit conditions: Date: SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: GARY ROBINSON HOMES PROPERTY LOCATION: Hwy210 SUBDIVISION GWEN OAKS LOT # 55 New Expansion Repair Basement? | Yes | No Basement Fixtures? | Yes | No

Type of Wastewater System** | 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 360 GPD (See note below, if applicable) 25% REDUCTION SYSTEM (Repair) **Installation Requirements/Conditions** Number of trenches _____1 feet Trench Spacing: _____ Feet on Center Septic Tank Size 1000 gallons Exact length of each trench 225 Pump Tank Size _____ gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: _____ft. TDH vs. ____ GPM ___ inches below pipe Aggregate Depth: ______ inches above pipe Conditions: MEET ON SITE PRIOR TO INSTALLATION TO VERIFY LANGUT. THIS PERMIT BASED ON A PROPOSAL FROM A LSS WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. ** If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provision of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Date: 10|5

Construction Authorization Expiration Date: 10

HTE#	10-5-25193	

Permit # _ 2628 \

Harnett County Department of Public Health Site Sketch

Site Sketch	
PROPERTY LOCATON: HWY210	
ISSUED TO: GARY ROBINSON HOMES SUBDIVISION GWEN GARS	_ LOT # 55~
Authorized State Agent: Date: 10 5 10	
DRAMING	
1. 99	
(08°08)	
30%	
1 Color	6

VALOUR CIECLE