HTE#_10-5-25-438

Harnett county Department of Public Hearth

Improvement Permit

26305

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: Law rence SUBDIVISION Cinnamon Hills Site Improvements required prior to Construction Authorization Issuance: 53 X52' Type of Structure: Proposed Wastewater System Type: 25 % Reduction System Projected Daily Flow: 360 Number of Occupants: Number of bedrooms: Basement Yes May be required based on final location and elevations of facilities Pump Required: ☐Yes ☐ No Type of Water Supply:

Community Public Well Distance from well feet Five years Permit valid for: ■ No expiration Permit conditions: SEE ATTACHED SITE SKETCH Authorized State Agent:: / The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Thomas Properties PROPERTY LOCATION: Lawrence Rel
SUBDIVISION Cinnamon Hills ✓ New ☐ Expansion ☐ Repair Basement Fixtures?

Yes 25 % Reduction System (Initial) Wastewater Flow: 360 GPD Type of Wastewater System** (See note below, if applicable

) Number of trenches 3 Installation Requirements/Conditions Exact length of each trench ________ feet Trench Spacing: _______ Feet on Center Septic Tank Size / 000 gallons Pump Tank Size _____ gallons Trenches shall be installed on contour at a Maximum Trench Depth of: $\sqrt{2-18}$ inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. _____ GPM inches below pipe Conditions: Run liner on contour + NO DEEPER than 18 inches between inches above pipe inches total

WATER LINES (INCLUDING INDICATION) WICE TO THE DEEPER THAN 18 inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Construction Authorization Expiration Date: 11/1/2015

Harnett County Department of Public Health Site Sketch

Λ .	PROPERTY LOCATON: Lawrence ld	k.
ISSUED TO: Thomas Properties	SUBDIVISION Cimanon H	://r LOT # _/
		11/2010
	100'	
James Street scape Butter	25% Reduction Repair Area 140012 140	8
	Elsie Buchanen L.	