Harnett county Department of Public Hearth

Improvement Permit

26377

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: MARCHS RO ISSUED TO: KENNETH CUMMINGS SUBDIVISION ASDED REPAIR Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 550(48×4) Proposed Wastewater System Type: 25% REDUCTION SYSTEM Projected Daily Flow: 360 GPD Number of bedrooms: Number of Occupants: Basement Yes No Pump Required: Tes No May be required based on final location and elevations of facilities Type of Water Supply:

Community Public Well Distance from well 100 feet Permit valid for: Five years Permit conditions: No expiration Authorized State Agent:: _ REMS Date: 12/16/10 SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance at other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Pagmit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: KENNEYH CUMMINGS PROPERTY LOCATION: MARKS RO SUBDIVISION ASINEORO LOT # 13) Facility Type: 5FO(48 x4x) Mew Expansion Repair Basement? | Yes | No Basement Fixtures? | Yes | Da No

Type of Wastewater System** | 25% | REDUCTION 575TEM (Initial) Wastewater Flow: 360 | GPD Type of Wastewater System** (See note below, if applicable) 25% REDUCTION STSTEM (Repair) Installation Requirements/Conditions Number of trenches Exact length of each trench 70 feet Trench Spacing: Feet on Center Spacing: Inches Septic Tank Size \OOO gallons Pump Tank Size gallons Maximum Trench Depth of: 18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. GPM inches below pipe Aggregate Depth: ______ inches above pipe WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date: 12/36

Permit # 26377

Harnett County Department of Public Health Site Sketch

ISSUED TO: KENNEM COMMINGS SUBDIVISION ASHFORD LOT #	13)
Authorized State Agent: NOLIVER TOLKSOOTE Date: 12/16/10	

