HTE# 10-5-25726

Harnett county Department of Public Hearth

Improvement Permit

26378

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: MARKS RO KENNERY CUMMINGS SUBDIVISION ASHFORD REPAIR, . NEW 🔯 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFO (58754 Proposed Wastewater System Type: 25% REDUCTION SYSTEM Projected Daily Flow: 360 GPD Number of bedrooms: _______ Number of Occupants: Smax Basement Yes No No Pump Required: Tes No ☐ May be required based on final location and elevations of facilities Type of Water Supply:

Community Public Well Distance from well 100 feet Permit valid for: Five years Permit conditions: ☐ No expiration RENS Date: 12/16/10 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: KENNERY CUMMINES PROPERTY LOCATION: MARKS R SUBDIVISION ASHFORD LOT # 132 Facility Type: STO (48 X547) New Expansion Repair Basement Fixtures? Tes SNo

25% REDUCTION SYSTEM (Initial) Wastewater Flow: 360 GPD Basement? Yes ≥ No Type of Wastewater System** (See note below, if applicable) 25% REDUCTION SYSTEM (Repair) Installation Requirements/Conditions Number of trenches Exact length of each trench 75 feet Trench Spacing: 6 Septic Tank Size 1000 gallons Pump Tank Size _____ gallons Trenches shall be installed on contour at a Soil Cover: \2 inches Maximum Trench Depth of: ______ inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. GPM _____ inches below pipe Aggregate Depth: ______ inches above pipe inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Date: 12/16/16 Authorized State Agent: Construction Authorization Expiration Date:

Harnett County Department of Public Health Site Sketch

Authorized State Agent:

PROPERTY LOCATON: MARKS RO

SUBDIVISION ASHFORD

LOT # 132

PROPERTY LOCATON: MARKS RO

LOT # 132

LOT # 132

