## HTE# 11-5-26022 Harnett County Department of Public Health

Improvement Permit

26415

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 52 1418 PROVERELA ISSUED TO NC CUSTON/tomes CCC SUBDIVISION REGAL CARST EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: \_ Proposed Wastewater System Type: 25% TE DURION 275/20 Projected Daily Flow: \_\_\_\_\_\_ GPD Number of bedrooms: Number of Occupants: \_\_\_\_\_\_ Basement □Yes May be required based on final location and elevations of facilities Pump Required: ☐Yes ☐ No Type of Water Supply: 

Community Public Well Distance from well \_\_\_\_\_\_\_feet Five years Permit valid for: ☐ No expiration Permit conditions: \_\_\_\_\_ Date: The issuance of this permit by the health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: N.C. Coston from UC

PROPERTY LOCATION: Soly 17 Works

SUBDIVISION Regal Crest

LOT # 5 Basement Fixtures? 

Yes Basement? Yes (Initial) Wastewater Flow: 600 GPD 25% REDUCTED System TO Type of Wastewater System\*\* (See note below, if applicable  $\square$ ) Number of trenches Installation Requirements/Conditions Exact length of each trench <u>150</u> feet Trench Spacing: <u>7</u> Feet on Center Trenches shall be installed on contour at a Soil Cover: 6 inches Septic Tank Size <u>1200</u> gallons Trenches shall be installed on contour at a Pump Tank Size \_\_\_\_\_ gallons Maximum Trench Depth of: 2011 Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: \_\_\_\_\_\_ft. TDH vs. \_\_\_\_\_ GPM inches below pipe Aggregate Depth: \_\_\_\_\_\_ inches above pipe WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Date: Z-zz-11Authorized State Agent: Construction Authorization Expiration Date: 2-22/6

## Harnett County Department of Public Health Site Sketch

