HTE#<u>11-5-26263</u>

Harnett County Department of Public Health

Improvement Permit

26493

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: BUFFALO LAKE RO ISSUED TO: KENNETH CUMMINGS SUBDIVISION THE SUMMIT NEW 🔀 REPAIR ☐ EXPANSION ☐ Site Improvements required prior to Construction Authorization Issuance: 5FO (40'x44') Type of Structure: Proposed Wastewater System Type: Convertion AL Projected Daily Flow: 360 GPD Number of Occupants: __ C max Number of bedrooms: 3 Pump Required: □Yes ∠XNo ☐ May be required based on final location and elevations of facilities Five years Type of Water Supply:

Community Public

Well Distance from well 100 feet Permit valid for: ☐ No expiration Authorized State Agent::

Date: 3 23 11 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of the permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This Rems site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1954, .1955, .1956, .1955, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: KENNETH CUMMINGS PROPERTY LOCATION: BUFFALO LAKE RD
SUBDIVISION THE SUMMIT LOT # 10) CONVENTION AL (Initial) Wastewater Flow: 360 GPD Type of Wastewater System** (See note below, if applicable □) CONVENTIONAL (Repair) Number of trenches _ \ \ Installation Requirements/Conditions Trench Spacing: 9 Feet on Center Septic Tank Size 1000 gallons Exact length of each trench 150 feet Soil Cover: 12-24 inches Pump Tank Size _____ gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 24-36 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: _____ft. TDH vs. GPM ___ inches below pipe inches above pipe Aggregate Depth: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: / understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the precision of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: _ Construction Authorization Expiration Date:

11E# 11 2 22-22-2	HTE#	11-	5-2	repre	3
-------------------	------	-----	-----	-------	---

Permit # <u>26493</u>

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATON: BUFF 20 LAKE RO

SUBDIVISION THE SUMMIT LOT # 101

Authorized State Agent: Date: 3 23 11

