HTE# 11-5-26865

Harnett County Department of Public Health

26586

A building permit cannot be issued with only an Improvement Permit

	PROPERTY LOCA	TION: PONDER	OSA RD	
ISSUED TO: BEST BUILT CONSTC	WOTION SUBDIVISION	CAROLINA	SEASONS	LOT # 59
NEW 🗙 REPAIR 🗆 EXPANSION		Site Improvements req	uired prior to Construction Autho	rization Issuance:
Type of Structure: SEO(56'X55')			· · ·	
Proposed Wastewater System Type: Pump To 25	% REDUCTION			
Projected Daily Flow:GO GPD	_			
Number of bedrooms: Number of Occupa	ants: <u> </u>			
Basement 🗆 Yes 🔀 No				
	ed based on final location and eleva			<u>\</u>
Type of Water Supply: 🗆 Community 🔭 Public	Well Distance from well	<u> </u>	Permit valid for:	Five years
Permit conditions:			······································	🔲 No expiration
fill to				<u></u>
Authorized State Agent:	RENS Date:	Glisti	SEE AT	TACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarant		holder is responsible for che		
site is subject to revocation if the site plan, plat, or the intended use ch	anges. The Improvement Permit shall not be			
the Laws and Rules for Sewage Treatment and Disposal and to conditions	of this permit			
	<u>Construction</u> Au	<u>thorization</u>		
	(Required for Build	ng Permit)		
The construction and installation requirements of Rules .1950, .1952, .19 with the attached system layout.	54, .1955, .1956, .1957, .1958. and .1959 a	e incorporated by references		
ISSUED TO: BEST BUILT CONS				
ISSUED 10: DESK DUILT CONS	NOCON PROPERTY	LUCATION: TOX	NUELOSA KD	LOT # 59
En (Elization)		IN CAROLIN	A SERSONS	LOI # <u>39</u>
Facility Type: SEO (56'X55)	🗵 New 🔛 Expans	ion 🗆 Repair		
Basement? 🗆 Yes 🔌 No Basement Fixt	ures? LI Yes X No	<i>C</i>		1.20
Type of Wastewater System** Pump To	25% KEDUCTION	DYSTEM	(Initial) Wastewater Flow:	<u>480</u> GPD
(See note below, if applicable □)	.5% REDUCTION	(Repair)		
Installation Requirements/Conditions	Number of trenches 2	_(··· F -···)	q	
Septic Tank Size 1000 gallons	Exact length of each trench	15 feet	Trench Spacing:	Feet on Center
Pump Tank Size <u>2000</u> gallons	Trenches shall be installed on c		Soil Cover: G-V2	
- unip funit office Suitons	Maximum Trench Depth of: 15		(Maximum soil cover shall	
	(Trench bottoms shall be level t		36" above the trench bot	
	in all directions)	V ·/-I/4		winy
Pump Requirements:ft. TDH vs	,			inches below pipe
i unip nequirementsit. IDN VS	_ 0111			
Conditions			Aggregate Depth:	
Conditions:				inches total

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.



