HTE# 17-5-27082 Harnett County Department of Public Health

Improvement Permit

26706

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: HWY205 ISSUED TO: GAZY ROBINSON HOMES SUBDIVISION GNEN DAYS EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 350 (40250)
Proposed Wastewater System Type: Rme To 25% REOUSTON Projected Daily Flow: 360 GPD Number of Occupants: 6 max Basement Yes ☐ No ☐ May be required based on final location and elevations of facilities Pump Required: \(\simeg\)Yes Type of Water Supply:

Community Public Well Distance from well feet Permit valid for: Five years Permit conditions: No expiration REHS Authorized State Agent:: SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit... **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: GARDY ROBINSON HOMES PROPERTY LOCATION: How 2105 SUBDIVISION GWEN OAKS LOT # 51 Facility Type: SFD (40'x50') New Expansion Repair
Basement? Yes No Basement Fixtures? Yes No Pump To 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 360 GPD Type of Wastewater System** (See note below, if applicable □) PUMP TO 25% REOVERION (Repair) Number of trenches + **Installation Requirements/Conditions** Exact length of each trench 60 feet Trench Spacing: 9 Feet on Center Trenches shall be installed on contour at a Soil Cover: inches Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Maximum Trench Depth of: 18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) Pump Requirements: ______ft. TDH vs. ____ GPM _____ inches below pipe Conditions: PERMIT BASED ON A PROPOSAL SUBMITTED WITH Aggregate Depth: _____ inches above pipe WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance when the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date:

HTE#	77-	5-	27	0	2

Permit # 26706

Harnett County Department of Public Health Site Sketch

