HTE# 17-5-27182

Harnett County Department of Public Health

Improvement Permit

26853

	A building permit cannot be issued with only an Improvement Permit
ISSUED TO: CUMBERLAND HOM	PROPERTY LOCATION: MICRO TOWER NO 10T # 22
•	
Type of Structure: SEO USS X45	ION Site Improvements required prior to Construction Authorization Issuance:
Proposed Wastewater System Type: Conver	10N8F
Projected Daily Flow: 360 GPD	
Number of bedrooms: 3 Number of Occ	upants: Le max
Basement Yes No	
Pump Required: □Yes → No □ May be rec	uired based on final location and elevations of facilities
Type of Water Supply: Community Public	
Permit conditions:	—————————————————————————————————————
Authorized State Agent::	CENS Date: 12/8/11 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guar site is subject to revocation if the site plan, plat, or the intended use the Laws and Rules for Sewage Treatment and Disposal and to conditi	antees the issuance of either permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of one of this permit.
	Construction Authorization
	(Required for Building Permit)
The construction and installation requirements of Rules .1950, .1952, with the attached system layout.	1954, 1955, 1956, 1957, 1958. and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
ISSUED TO: CUMBERLAND HOM	SUBDIVISION TINGEN PLACE LOT # 22
~	SUBDIVISION TINGEN PLACE LOT # 22
Facility Type: SFO(S5×45)	New Expansion Repair
	xtures? Yes No
Type of Wastewater System** Coment	
(See note below, if applicable □)	10NAL (Initial) Wastewater Flow: 360 GPD
CONVENT	10ND (Bassia)
Installation Requirements/Conditions	Number of trenches 2 (Repair)
Septic Tank Size 1000 gallons	9
_	Exact length of each trench 75 feet Trench Spacing: Feet on Center
Pump Tank Size gallons	Trenches shall be installed on contour at a Soil Cover: 24-6 inches
	Maximum Trench Depth of: 36-78 inches (Maximum soil cover shall not exceed
	(Trench bottoms shall be level to +/-1/4" 36" above the trench bottom)
	in all directions)
Pump Requirements:ft. TDH vs	GPM inches below pipe
	Aggregate Depth: inches above pipe
Conditions:	inches total
NATER LINES (INCLUDING IRRIGATION) MUST NO UTILITIES ALLOWED IN INITIAL OR REPAIR I	BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.

**If applicable: / understand the system type specifie	d is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature:	Date:
his Construction Authorization is subject to revocation if the site plan,	plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
construction Authorization is subject to compliance with the provisions	the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.
Authorized State Agent:	Construction Authorization Expiration Date: 128)6
	Construction Authorization Expiration Date: 12/9/16

Harnett County Department of Public Health Site Sketch

	PROPERTY LOCATON: MICROTONER RA	
ISSUED TO: LUNGERUMINES	SUBDIVISION TINGEN PLACE	LOT # 22
Authorized State Agent:	RCHS (OLIVER TOLKSDOPF) Date: 12/8/1)	

