## Harnett County Department of Public multh

Improvement Permit

26525

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 521703 RED HELL CHURCH 743 SUBDIVISION \_\_BLS ISSUED TO: Thomas C STEWART EXPANSION Site Improvements required prior to Construction Authorization Issuance: NEW 7 Type of Structure: Proposed Wastewater System Type: 25% REDUCTION Sugsta Number of bedrooms: \_\_\_\_\_3 \_\_\_ Number of Occupants: 6 max Basement Yes ☑ No ☐ May be required based on final location and elevations of facilities Pump Required: ☐Yes Five years Type of Water Supply: 

Community Public Well Distance from well feet Permit valid for: ■ No expiration Permit conditions: Authorized State Agent:

Date:

Date:

SEE ATTACHED SITE SKETCH

The issuance of this permit by the fealth Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. Facility Type: SED New Repair

PROPERTY LOCATION: SRITO3 RED HILL CHUNCH RD

SUBDIVISION BLS

LOT # 1 Basement Fixtures? 

Yes 


No Basement? Yes Type of Wastewater System\*\* 25% Reduction System (Initial) Wastewater Flow: 360 GPD (See note below, if applicable 2590 REDUCTION SYSTA (Repair)

S Number of trenches 4 Installation Requirements/Conditions Exact length of each trench 60 Septic Tank Size 1000 gallons Pump Tank Size gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 26 7/8 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. GPM le inches below pipe Aggregate Depth: 2 inches above pipe Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Construction Authorization Expiration Date:

## Harnett County Department of Public Health Site Sketch

ISSUED TO: Thomas C STEWART SUBDIVISION BLS LOT # 1

Authorized State Agent: Panes & Marshart STEWART Date: 8-23-11



JR 1703 RED HILL CHURCH RD