


COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY			
		SC-SANDY CLAY			

STRUCTURE
 SG-SINGLE GRAIN
 M- MASSIVE
 CR-CRUMB
 GR-GRANULAR
 SBK-SUBANGULAR BLOCKY
 ABK-ANGULAR BLOCKY
 PL-PLATY
 PR-PRISMATIC

MINERALOGY
 SLIGHTLY EXPANSIVE
 EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)



MAP NO 2011-536




MAP REFERENCE MAP NO 2011-536

COURSE	BEARING	DISTANCE
L-1	N 88°08'51" E	47.67'

ALVIN B. COLLINS HEIRS

ALVIN B. COLLINS HEIRS




ALVIN BUNNY COLLINS
DB 687, PG 117


SITE PLAN APPROVAL *SFD*
 DISTRICT *A-30* USE *USE*
 #BEDROOMS *3*
[Signature]
 Administrator
 10-18-11

MIRLINDA BUILDING SET BACKS

- FRONT YARD ——— 30
- REAR YARD ——— 25
- SIDE YARD ——— 10'
- CORNER LOT SIDE YARD — 20'
- MAXIMUM HEIGHT ——— 30



SURVEY FOR PROPOSED PLOT PLAN - TRACT - A ARNOLD B COLLINS HEIRS		JOB NO 11335	
TOWNSHIP UPPER LITTLE RIVER COUNTY HARNETT		BENNETT SURVEYS, INC. C-1080 1662 CLARK RD LILLINGTON N C 27546 (910) 893-5252	
STATE NORTH CAROLINA	DATE OCTOBER 12 2011	SCALE 1" = 60'	SURVEYED BY
			DRAWN BY RVB
			FIELD BOOK
			DRAWING NO



5 X 80
18-20