## HTE# 11-5-27761 Harnett County Department of Public Health

**Improvement Permit** 

26769


A building permit cannot be issued with only an Improvement Permit ISSUED TO: Savy Homes

REPAIR . . . EXPANSION . Site Improvements required arise to Company to the same of Structure. Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD 48 x56 Proposed Wastewater System Type: 25% Reduction Projected Daily Flow: 480 GPD Number of Occupants: 8 max Number of bedrooms: Basement Yes ☐ May be required based on final location and elevations of facilities Pump Required: □Yes ☑ No Type of Water Supply: 
Community Public 
Well Distance from well \_\_\_\_\_\_\_feet Five years Permit valid for: Permit conditions: ☐ No expiration site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Sarry Hones PROPERTY LOCATION: Wire ld SUBDIVISION Kenlan Forms Facility Type: SFD 48 X56 New Expansion Repair Basement? | Yes | No Basement Fixtures? | Yes | No

Type of Wastewater System\*\* | 25% Leduction System (Initial) Wastewater Flow: | 480 GPD (See note below, if applicable 1)
257 Ledoction System (Repair)
Ons Number of trenches 4 Installation Requirements/Conditions Septic Tank Size 1600 gallons Pump Tank Size gallons Maximum Trench Depth of: 18-30 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: \_\_\_\_\_ft. TDH vs. \_\_\_\_ GPM \_\_\_\_ inches below pipe Aggregate Depth: \_\_\_\_\_\_ inches above pipe \_\_\_\_\_ inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: / Suga-Construction Authorization Expiration Date: 11/4/29/6

## Harnett County Department of Public Health Site Sketch

PRO!	RTY LOCATON: Wire Rd.	
ISSUED TO: Savuy Homes	SUBDIVISION Kerlan Forms	LOT # 🧲
	//	
Authorized State Agent: Sugar Mining LEHS	Date: 11/4/2011	



Emma Court