Department of Environment, Health and Natural I Division of Environmental Health On-Site Wastewater Section

Sheet: Proper

Property ID: Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner:	Applicant:				
Address:		Date Evaluated:	11-4-117-119		
Proposed Facility:	5/1	Design Flow (.194	49):360	Property Size:	
Location of Site:	/	Property Recorded	, -	Total Calculation	
Water Supply:	_ Public	Individual	☐ Well	☐ Spring	Other
Evaluation Method	Auger Boring	☐ Pit	Cut	_ 1 0	
Type of Wastewate	r: Sewa	ge 🔲 Indi	astrial Process	☐ Mixed	

rces

P R O F I	.1940 Landscape	Horizon	SOIL M	ORPHOLOGY .1941	PR				
E Position/	Position/	Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
	0.28	5L	FR GRNSNP	8			110112	L DIAK	
		25 HS	sel f	EN GRIVSNP NN 1873 WS555	424 7.540?				*4
2	してな	0-8	SL	G GAMSUA					
		28-48	SCL	A 60N5W Pa√89U558	45" 7.542			,	44
3	Lin	0-5	5L /	Car Coll NISME					78
	,	5-36	X-CIAY A	LA GUNSAP W HSOS ML ABAS. P.	201708				*3
4	L2-32 C	0-26	SL A	en Ganswis					¥
-		26-40 3	ce o	n GNNOWS	404 7.696				,4
				20					

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948): Pag
Available Space (.1945)	/		Evaluated By:
System Type(s)	250	7950	
Site LTAR	14	, 3	Others Present:

COMMENTS: ____

LANDSCAPE POSITIONS	GROUP	TEXTURES	. <u>1955 LTAR</u>	CONSISTENCE MOIST	WET
R-RIDGE S-SHOULDER SLOPE L-LINEAR SLOPE	I	S-SAND LS-LOAMY SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTY STICKY
FS-FOOT SLOPE N-NOSE SLOPE H-HEAD SLOPE	II	SL-SANDY LOAM L-LOAM	0.8 - 0.6	FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	S-STICKY VS-VERY STICKY NP-NON-PLASTIC
CC-CONCLAVE SLOPE CV-CONVEX SLOPE T-TERRACE FP-FLOOD PLAN	Ш	SI-SILT SIL-SILT LOAM CL-CLAY LOAM SCL-SANDY CLAY LOAM	0.6 - 0.3		SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC

0.4 - 0.1

IV SIC-SILTY CLAY C-CLAY

C-CLAY SC-SANDY CLAY


be brank to be to

STRUCTURE
SG-SINGLE GRAIN
M- MASSIVE
CR-CRUMB
GR-GRANULAR
SBK-SUBANGULAR BLOCKY
ABK-ANGULAR BLOCKY
PL-PLATY
PR-PRISMATIC

MINERALOGY SLIGHTLY EXPANSIVE

EXPANSIVE

				_		_	SHOW	profi	T IOCA	шона	and 0	uici s	T TO	T CO	(SILL		10, 101											
+	\dashv		-	-	_	+	+-	+-	-	-																		
												٠.																
T																												
+	-	_	-	-	-	+-	+	+	-	-	-		-												-		-	
1																												
T																						-						
+	-		_	-	-	-	+-	+-	-	-	-	_	-			-							_	-	-			
T																		+3										
+	-			_	-	-	+-	+-	├	_	-	-	-	-		-	_		-		-			-	-	_	-	-
1																			25.								- 1	
†	_																											
1				_	_	_	-	-	-	_	-		_	-		-	_				_		_					
$^{+}$	_							1																				
\perp	_				_	_	_	_	_					_			_	_		-				_				
			11														1											
+	_				1	+	+	+	1	_																		
						_	_	_	_			-	_		_				_									
+	-		-	_		-	+	+	-	-		-	-															
1																												
T			518																					Ž.				
+	\dashv			-	-	-	+	-	-	-	-			-										-				
T	\neg							1																				
1	4				_	-	-	-	-	_	_	_	_			-	_			-	-			-	-		-	_
	1					1																						



OXFORD WOODS DRIVE