

COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY			
		SC-SANDY CLAY			

STRUCTURE

- SG-SINGLE GRAIN
- M- MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC

MINERALOGY

- SLIGHTLY EXPANSIVE
- EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)

A large grid for recording profile locations and site features. The grid consists of 20 columns and 20 rows of empty cells, intended for drawing or recording data.

MAP NO. 2011-411

SITE PLAN APPROVAL

DISTRICT BARB USE SFD


#BEDROOMS 3

Date 1-10-12

Zoning Administrator [Signature]


86

MAP REFERENCE: MAP NO. 2011-411



MINIMUM BUILDING SET BACKS

- FRONT YARD — 30'
- REAR YARD — 20'
- SIDE YARD — 10'
- CORNER LOT SIDE YARD — 20'
- MAXIMUM HEIGHT — 35'



SURVEY FOR:		BENNETT SURVEYS, INC.		JOB NO. 11402	
PROPOSED PLOT PLAN - LOT - 87		1682 CLARK RD., LILLINGTON, N.C. 27546		C-1080	
TROTTER'S RIDGE S/D, PHASE - 1 - C		(910) 893-5252			
TOWNSHIP	BARBECUE	COUNTY	HARNETT	20	40
STATE: NORTH CAROLINA	DATE: DECEMBER 27, 2011	SCALE: 1" = 40'		SURVEYED BY:	FIELD BOOK
ZONE RA-20R	WATERSHED DISTRICT	TAX PARCEL ID#		DRAWN BY: RVB	DRAWING NO.
CHECKED & CLOSURE BY:				11402	