## Harnett County Department of Public Health

HTE#12-5.28200

26884

Improvement Permit

A building permit can	not be issued with only an Improvem PROPERTY LOCATION: Doc.	ent Permit 5	
ISSUED TO: H+H CONSTRUCTORS	SURDIVISION	5 00	LOT # 9
NEW REPAIR, C EXPANSION		required prior to Construction Author	
Type of Structure: SFO (50 ×59)	site improvements	required prior to construction Author	Izauon issuance.
Proposed Wastewater System Type: 25% REDUCTION SYS	7Em		······
Projected Daily Flow: 600 GPD			
Number of bedrooms: Number of Occupants:	max		
Basement 🗆 Yes 🔀 No	-		
Pump Required: 🗆 Yes 🖍 No 🛛 🗆 May be required based on final I	ocation and elevations of facilities		······································
Type of Water Supply: 🗌 Community 🔀 Public 🔲 Well Distan	ice from well <u>100</u> feet	Permit valid for:	Five years
Permit conditions:			□ No expiration
			•
Authorized State Agent::	Date: 127/12	SEE ATT	ACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of othe	r permits. The permit holder is responsible for	checking with appropriate governing bodies in	meeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	remit shall not be affected by a change in o	whership of the site. This permit is subject to	compliance with the provisions of
Constr	uction Authorization		
( <u>Re</u>	uired for Building Permit)		
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, with the attached system layout.	.1958. and .1959 are incorporated by referen	es into this permit and shall be met. Systems	shall be installed in accordance
· · ·	•	•	
ISSUED TO: H+H CONSTRUCTORS	PROPERTY LOCATION:	ocs RD	
	SUBDIVISION OAKNO	N.	LOT # ግ
Facility Type: SFD (50'XGG) X New	🗆 Expansion 🗌 Repa	r	
Basement? 🗆 Yes 🖂 No 🛛 Basement Fixtures? 🗆 Yes			
Type of Wastewater System** 25% REDUCTION	SYSTEM	(Initial) Wastewater Flow	600 GPD
(See note below, if applicable )		(initial) Wastewater 1101.	U <i>V</i>
25% REDUCTION S	VSJGM (Ranzir)		
Installation Requirements/Conditions Number of trenc			
	each trench <u>300</u> feet	Trench Spacing:	Fact on Conton
	installed on contour at a		
• •			nches
	Depth of: $18 - 30$ inche	(	
•	shall be level to +/-1/4"	36" above the trench bott	om)
in all directions)			
Pump Requirements:ft. TDH vs GPM		•J5	inches below pipe
		Aggregate Depth:	inches above pipe
Conditions:	······································		inches total
	· · · · · · · · · · · · · · · · · · ·		

## WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

\*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: Date:			
This Construction Authorization is subject to revocation-if the site plan plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This			
Construction Authorization is subject to compliance with the previous of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.			
Authorized State Agent: Construction Authorization Expiration Date:			

