

**SOIL/SITE EVALUATION  
 for ON-SITE WASTEWATER SYSTEM**

Owner: \_\_\_\_\_ Applicant: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Proposed Facility: 3 Bedroom Date Evaluated: \_\_\_\_\_  
 Location of Site: \_\_\_\_\_ Design Flow (.1949): 360 gpd Property Size: \_\_\_\_\_  
 Water Supply: \_\_\_\_\_ Property Recorded: \_\_\_\_\_  
 Evaluation Method:  Auger Boring  Public  Individual  Well  Spring  Other  
 Type of Wastewater:  Sewage  Pit  Cut  Industrial Process  Mixed

P R O F I L E #	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				Profile Class & LTAR
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	
1	<u>L5 2-5%</u>	<u>0-28"</u>	<u>G S</u>	<u>VFI NS/SP</u>					
		<u>28-48"</u>	<u>SBK SL</u>	<u>F2 SS/SP</u>					<u>PS .4</u>
2		<u>0-20"</u>	<u>G S</u>	<u>VFI NS/SP</u>					
		<u>20-36"</u>	<u>SBK SL</u>	<u>F2 SS/SP</u>	<u>10/22/20 34'</u>				<u>PS .4</u>
3		<u>0-28"</u>	<u>G S</u>	<u>VFI NS/SP</u>					
		<u>28-40"</u>	<u>SBK SL</u>	<u>F2 SS/SP</u>					<u>PS .4</u>
4		<u>0-20"</u>	<u>G S</u>	<u>VFI NS/SP</u>					
		<u>20-36"</u>	<u>SBK SL</u>	<u>F2 SS/SP</u>					<u>PS .4</u>

Description	Initial System <input checked="" type="checkbox"/>	Repair System <input checked="" type="checkbox"/>	Other Factors (.1946):
Available Space (.1945)			Site Classification (.1948): <u>PS</u>
System Type(s)	<u>28" (4")</u>	<u>24"</u>	Evaluated By: <u>AK</u>
Site LTAR			Others Present: <u>SM</u>


COMMENTS: \_\_\_\_\_

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY			
		SC-SANDY CLAY			

STRUCTURE  
 SG-SINGLE GRAIN  
 M- MASSIVE  
 CR-CRUMB  
 GR-GRANULAR  
 SBK-SUBANGULAR BLOCKY  
 ABK-ANGULAR BLOCKY  
 PL-PLATY  
 PR-PRISMATIC

MINERALOGY  
 SLIGHTLY EXPANSIVE  
 EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)



1"=40'

Lot 9 McDonald Place


SITE PLAN APPROVAL

DISTRICT BA3D USE SFD

#BEDROOMS 3

Date 2-16-12

Zoning Administrator [Signature]



Exit Place