HIE# 12-2-38H148

Harnett County Department of Public Health

Improvement Permit

26970

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: NC2705 ISSUED TO: GARD ROBINSON HOMES SUBDIVISION GWEN ONKS Site Improvements required prior to Construction Authorization Issuance: Type of Structure: Pump To 25% REOUTION Proposed Wastewater System Type: SFO (47×44) Projected Daily Flow: 360 Number of bedrooms: _ Number of Occupants: Basement Yes Type of Water Supply:

Community

Public

Well Distance from well

O Permit valid for: Five years Permit conditions: No expiration Authorized State Agent:: RENS Date: 3 26 12 SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1950, .1955, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: GARY ROBINSON HOMES PROPERTY LOCATION: NC2105 SUBDIVISION GWGN OAKS Facility Type: SED (49×44)

New Expansion Repair


Basement? Yes No Basement Fixtures? Yes No

Type of Wastewater System** Pume To 25% Reduction (Initial) Wastewater Flow: 360 GPD (See note below, if applicable) Drie (PRETREATMENT Installation Requirements/Conditions Number of trenches Exact length of each trench 300 feet Trench Spacing: 9 Feet on Center Trenches shall be installed on contour at a Soil Cover: 0 inches Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Maximum Trench Depth of: 12 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: _____ft. TDH vs. ____ GPM _____ inches below pipe Aggregate Depth: ______ inches above pipe Conditions: MINIMUM 6" OF COVER NEEDED OVER DRAWFIELD AREA

DO NOT MOVE ANY MORE SOIL IN OR AROUND DRAIN FIELD AREA ____ inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the teplan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provi and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date:

Harnett County Department of Public Health Site Sketch

	PROPERTY LOCATON: NCシンOS	
ISSUED TO: GARN ROBINSON HOMES	SUBDIVISION GWEN OAKS	LOT # 8
Authorized State Agent:	INS GLITER TOLKSDORE) Date: 3 26/12	
SYSTEM.		



TACTICAL DRIVE