

COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTY STICKY
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6	FI-FIRM VFI-VERY FIRM	S-STICKY VS-VERY STICKY
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3	EFI-EXTREMELY FIRM	NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY SC-SANDY CLAY			

STRUCTURE
 SG-SINGLE GRAIN
 M- MASSIVE
 CR-CRUMB
 GR-GRANULAR
 SBK-SUBANGULAR BLOCKY
 ABK-ANGULAR BLOCKY
 PL-PLATY
 PR-PRISMATIC


MINERALOGY
 SLIGHTLY EXPANSIVE
 EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)

A large grid for recording profile locations and site features. The grid is approximately 20 columns wide and 25 rows high. It is intended for drawing or marking profile locations and other site features, including dimensions, references, benchmarks, and North.

**PROPOSED PLAN FOR
DAWSON'S CONSTRUCTION**

LOT 1B - MAP # 2006-817
539 LAFAYETTE ROAD
FUQUAY-VARINA, NC 27526
PIN # 0653-65-7506.000
HECTOR'S CREEK TOWNSHIP
HARNETT COUNTY - NORTH CAROLINA
SCALE : 1" = 50' - MAY 4, 2012





BENTON DEWAR & ASSOCIATES
PROFESSIONAL LAND SURVEYOR
5920 HONEYCUTT ROAD
HOLLY SPRINGS, NC 27540
(919)-552-9813

HARNETT CO.
D.B. 1936 PG. 781



NOTES
AREA BY COORDINATES.
THIS LOT IS NOT LOCATED IN A FEMA MAPPED FLOOD
HAZARD AREA. FEMA MAP # 3720064200J;
ZONE X; EFF. DATE 10/3/2005.

LEGEND
D.B. - DEED BOOK SB - SETBACK
R/W - RIGHT OF WAY CL - CENTERLINE
SF - SQUARE FEET



TRACY DOWDY
D.B. 2951 PG. 947

JAMIE WICKER
D.B. 2719 PG. 387

I, BENTON W. DEWAR CERTIFY THAT THIS PLAT WAS DRAWN UNDER
MY SUPERVISION FROM AN ACTUAL SURVEY MADE UNDER MY
SUPERVISION; THAT THE RATIO OF PRECISION IS 1: 10,000
THAT THE BOUNDARIES NOT SURVEYED ARE SHOWN AS BROKEN LINES
PLOTTED FROM INFORMATION FOUND IN BOOK MAP 2006
PAGE 817; THAT THIS PLAT DOES NOT MEET SIZE REQUIREMENTS
FOR RECORDING IN THE REGISTER OF DEEDS, PER G.S. 47-30 AS AMENDED.
LICENCE NUMBER AND SEAL THIS 4TH DAY OF MAY 2012



B.W. Dewar
PROFESSIONAL LAND SURVEYOR L-3040

THIS PLAT IS OF A BOUNDARY SURVEY OF AN EXISTING
PARCEL OF LAND THAT IS REGULATED BY A COUNTY OR
MUNICIPALITY ORDINANCE THAT REGULATES PARCELS OF LAND.

S 28°34'25"W
833.60'
TIE TO THE
INTERSECTION OF
NCSR 1443 &
NCSR 1444 12-68s
18DAWSON\12\600