HTE#12-5-2977

Harnett County Department of Public Health

Improvement Permit

27180

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: WIRE RO ISSUED TO: SAYY) HOMES PROPERTY LOCATION: WHILE W NEW 🔀 ~EXPANSION □ Site Improvements required prior to Construction Authorization Issuance: Type of Structure: _5FO (60' ×65')" Proposed Wastewater System Type: Pump To 25% REDUCTION Projected Daily Flow: ________ Number of Occupants: _ 8 max Number of bedrooms: Basement □Yes Pump Required: Stres □ No ☐ May be required based on final location and elevations of facilities Type of Water Supply:

Community Public

Well Distance from well 100 feet Five years Permit valid for: ☐ No expiration Permit conditions: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: SAVY HOMES PROPERTY LOCATION: WIRE & SUBDIVISION KENZAN FROMS LOT # 61 Facility Type: SFO (60'x65') X New Expansion Repair 🔀 No 🛮 Basement Fixtures? 🖂 Yes 🔀 No Type of Wastewater System** Pump To 2500 REDUCTION SYSTEM (Initial) Wastewater Flow: 480 GPD (See note below, if applicable □) Rump To 25% REDUCTION (Repair) Installation Requirements/Conditions Number of trenches \ Exact length of each trench \\ \frac{\gamma\circ}{\gamma} \end{pmatrix} feet \quad Trench Spacing: Septic Tank Size <u>vooo</u> gallons Soil Cover: 5-24 inches Pump Tank Size \ O O O gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 18-36 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. _____ GPM inches below pipe Aggregate Depth: _____ inches above pipe _____ inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative-Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the previsions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Construction Authorization Expiration Date:

Harnett County Department of Public Health Site Sketch

				DII					
ISSUED TO:	Sayrytho	roks		PROPERTY SUB	LOCATON: DIVISIONK	WIRE	RD J FA	~~~	LOT # 6)
Authorized Sta		Mill	RENS			-		10/32/19	
		STANCT OF			95' EPANE ARGA COUSE			250′	

SHEPHARD POL