HTE# 12-5-29879

## Harnett County Department of Public Health

## **Improvement Permit**

27137

A building permit cannot be issued with only an Improvement Permit Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD 67X Proposed Wastewater System Type: 2572 Reduction Statem Projected Daily Flow: 360 GPD Number of Occupants: \_\_\_\_\_ max Number of bedrooms: \_\_\_\_ Basement TYes Pump Required: □Yes ☑ No ☐ May be required based on final location and elevations of facilities Type of Water Supply: 
Community Public Well Distance from well feet Five years Permit valid for: Permit conditions: ☐ No expiration Authorized State Agent: Duya Missing PEHS
The issuance of this narmit by the World State Agent. Date: 10/18/2012 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Stancil Builders PROPERTY LOCATION: Tingen Rd.
SUBDIVISION Junet Ridge LOT # 4 ☐ Expansion ☐ Repair Basement Fixtures? 

Yes 

No Basement? Yes Type of Wastewater System\*\* 25 % Reduction System (Initial) Wastewater Flow: 366 GPD (See note below, if applicable 

) Number of trenches 2 Installation Requirements/Conditions Exact length of each trench 75 feet Trench Spacing: 9 Feet on Center Septic Tank Size / OOO gallons Pump Tank Size \_\_\_\_\_ gallons Soil Cover: 6-18 inches Trenches shall be installed on contour at a Maximum Trench Depth of: 18-36 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: \_\_\_\_\_\_ft. TDH vs. \_\_\_\_\_ GPM \_\_\_\_\_ inches below pipe Aggregate Depth: inches above pipe WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: \_\_\_ This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Date: 10/18/2012

Construction Authorization Expiration Date: 10/18/2017

## Harnett County Department of Public Health Site Sketch

•	PROPERTY LOCATON: Tingen Rd.	
ISSUED TO: Stane: 1 Builders	SUBDIVISION Juset Ridge	LOT # 4
	1 /	
Authorized State Agent: / Crya Missin		510.

