HTE# 12-5-29893

Harnett County Department of Public Health

Improvement Permit

27141

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: Tingen Rd. ISSUED TO: Stancil Builders SUBDIVISION Jurger Ridge NEW 🗹 Site Improvements required prior to Construction Authorization Issuance: 5F0 Type of Structure: Proposed Wastewater System Type: 257. Leduction System Number of bedrooms: 3 Number of Occupants: _____ max ₩ No Basement TYes ₩ No ☐ May be required based on final location and elevations of facilities Pump Required: □Yes Type of Water Supply:

Community Public Well Distance from well _______feet Five years Permit valid for: ■ No expiration Permit conditions: ____ Date: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Stancil Builders PROPERTY LOCATION: Tingen Rd.

SUBDIVISION Junset Ridge LOT # 5 Facility Type: SFD New Expansion Repair Basement Fixtures?

Yes Basement? Yes ☐ No 25% Leduction System (Initial) Wastewater Flow: 360 GPD Type of Wastewater System** (See note below, if applicable □) 25% leavelin System (Repair) Installation Requirements/Conditions Number of trenches Exact length of each trench 75 feet Trench Spacing: 7 Feet on Center Trenches shall be installed on contour at a Soil Cover: 24-6 inches Septic Tank Size / OOO gallons Pump Tank Size _____ gallons Maximum Trench Depth of: 36-18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. GPM _____ inches below pipe Aggregate Depth: ______ inches above pipe inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Loui, REN Authorized State Agent; Construction Authorization Expiration Date: 10/24/2017

Permit # _ 27141

Harnett County Department of Public Health Site Sketch

	PROPERTY LOCATON: 7779	en Rd.	
ISSUED TO: Stancil Builded	SUBDIVISION JUNSEY	-Ridge	LOT # _5
		, ,	
Authorized State Agent: Lyan Marin	REUS	Date: 10/24/20/2	
· · · · · · · · · · · · · · · · · · ·			

