HTE# 12-5-30107

Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued w			•	
PROPERTY LOC	ATION: 12006C	NKD		
ISSUED TO: STARCIL BUILDERS SUBDIVISION	SUNSET	RIDGE		lot #
NEW XI REPAIR C	Site Improvements	s required prior to	Construction Authori	ization Issuance:
Type of Structure: SEQ (SUN46)				
Proposed Wastewater System Type: PUME TO 25% REDUCSION				
Projected Daily Flow: <u>360</u> GPD	Lan			
Number of bedrooms: <u>3</u> Number of Occupants: <u>5</u> max				
Basement 🗆 Yes 🔀 No				
Pump Required; 🖄 es 🗀 No 🛛 🗋 May be required based on final location and elev	vations of facilities			
Type of Water Supply: 🗆 Community 🛛 Public 🗖 Well Distance from well _	100 feet		Permit valid for:	Five years
Permit conditions:				□ No expiration
				,
lallet				
Authorized State Agent: Date: _	11/26/12		SEE ATT	ACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: STANCOL BUILDER	S PROPERTY LOCATION:	EEN RD
	SUBDIVISION SUNSE	RIDGE LOT # 9
Facility Type: 580 (54 ×46)	SUBDIVISION <u>Sunser</u> _ X New [Expansion] Repair ures?] Yes X No & 25% RCOUCTION SYSTEM	
Basement? 🗆 Yes 🛛 🔀 No 🖉 Basement Fixtu	ures? 🗆 Yes 🗡 No	
Type of Wastewater System** Pump To	3 25% REOUCTION SYSTEM	<u>へ</u> (Initial) Wastewater Flow: <u>360</u> GPD
(See note below, if applicable 🔲)		
Pumeto	25% REDUCTION (Repair)	
Installation Requirements/Conditions	Number of trenches	ç.
Septic Tank Size <u>1000</u> gallons	Exact length of each trench <u>150</u> feet	Trench Spacing: 9 Feet on Center Soil Cover: 9 inches
Pump Tank Size <u>いつつつ</u> gallons	Trenches shall be installed on contour at a	Soil Cover: 12-22 inches
	Maximum Trench Depth of: <u>22-36</u> inches	(Maximum soil cover shall not exceed
	(Trench bottoms shall be level to $+/-1/4$ "	36" above the trench bottom)
	in all directions)	
Pump Requirements:ft. TDH vs	_ GPM	inches below pipe
		Aggregate Depth: inches above pipe
Conditions:		inches total

