HTE# 13-5-30597

## Harnett County Department of Public Health

## **Improvement Permit**

27272

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: DOCS RO SUBDIVISION DAKMON McKEE Homes ISSUED TO: NEW 2 Site Improvements required prior to Construction Authorization Issuance: SED Type of Structure: Proposed Wastewater System Type: 25% REDUCTION Projected Daily Flow: \_ 480 4 Number of Occupants: 8 Number of bedrooms: Basement Tyes Pump Required: □Yes ₹ No ☐ May be required based on final location and elevations of facilities Type of Water Supply: 

Community Public 

Well Distance from well 100 feet Five years Permit valid for: Permit conditions: ☐ No expiration QGHS Date: \_\_ The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: McKEE Homes PROPERTY LOCATION: Docs Ro SUBDIVISION OAKMONT Facility Type: SFO (34'158') New Expansion Repair Basement? Yes No Basement Fixtures? Yes No

Type of Wastewater System\*\* SSS PEDUSTION SYSTEM (Initial) Wastewater Flow: 480 (See note below, if applicable □) 25% REDUCTION Installation Requirements/Conditions Number of trenches Trench Spacing: 9 Feet on Center Soil Cover: 26-6 inches Exact length of each trench 300 Septic Tank Size 1000 \_ gallons Pump Tank Size \_\_\_\_\_ gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 3578 (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. GPM inches below pipe Aggregate Depth: \_\_\_\_\_\_ inches above pipe Conditions: DO NOT USE STEPDOWNS - RUN SYSTEM AS inches total CONTINUOUS LINE WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date:

HTE#	13-	5-	30	5°	17

Permit # <u>よっなっ</u>え

## Harnett County Department of Public Health Site Sketch

		PROPERTY LOCATON: Docs Ro	
ISSUED TO:	MCKEE HOMES	SUBDIVISION OAXMONT	LOT # 142
		, 11.	
Authorized Stat	te Agent:	REHS (OLIVER TOLKSOORS) Date: 2/19/3	•
	•		

